













WATER SHEET Cascade spout for wall mounting - Brushed Durabrass (23kt Gold)


IMO

13 415 979	<ul style="list-style-type: none"> 150mm projection CASCADE, max. flow rate 26.5 l/min (at 3 bar) cover plate 240 x 60 mm 1/2" connection plug-link mounting WRAS 1712702 	<div>  <div> Brushed Durabrass (23kt Gold) 13 415 979-28 </div> </div>
		<div>  <div> Chrome 13 415 979-00 </div> </div>
		<div>  <div> Brushed Platinum 13 415 979-06 </div> </div>
		<div>  <div> Platinum 13 415 979-08 </div> </div>
		<div>  <div> Dark Chrome 13 415 979-19 </div> </div>
		<div>  <div> Matte Black 13 415 979-33 </div> </div>
		<div>  <div> Brushed Champagne (22kt Gold) 13 415 979-46 </div> </div>
		<div>  <div> Champagne (22kt Gold) 13 415 979-47 </div> </div>
		<div>  <div> Brushed Chrome 13 415 979-93 </div> </div>
		<div>  <div> Brushed Dark Platinum 13 415 979-99 </div> </div>

Recommended miscellaneous

	<div> Concealed wall elbow - <ul style="list-style-type: none"> max. recess depth 163 mm min. recess depth 90 mm </div>	35 085 970 90
---	---	---------------


Recommended miscellaneous

	<div> Concealed wall elbow - <ul style="list-style-type: none"> max. recess depth 163 mm min. recess depth 90 mm </div>	35 085 970 90
---	---	---------------


WATER SHEET Cascade spout for wall mounting - Brushed Durabron (23kt Gold)

IMO


13 415 979
mm [inches]



Flow rate chart



Trajectory diagram



Certificates

LGA_19464.

WRAS_2306001.

WATER SHEET Cascade spout for wall mounting - Brushed Durabronz (23kt Gold)

IMO

13 415 979



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 23 01 057 90	flow reducer	1	2
2	90 24 03 213 00 90	connection	1	2
3	09 14 03 134 90	seal	1	2
4	04 30 31 024 01 90	fixing set	1	2
5	09 17 97 059 90	holder	1	2
6	09 31 11 036 90	pin	2	2
7	09 31 11 040 90	pin	2	2
8	09 24 03 214 90	nipple	2	2
9	09 27 78 031-28	rosette	1	20
10	09 11 78 003 20-28	spout	1	20
11	90 29 03 059 00 90	insert	1	2