


















WATER FALL Cascade spout with individual jets for wall mounting - Brushed Platinum

SERIES-VARIOUS

13 425 979	Product version from 10/1/2023		
	<ul style="list-style-type: none"> PEARLSTREAM Max. flow rate 9.5 l/min (at 3 bar) Function from: l/min 		
	<div> <div>  </div> <div> Technical data: <ul style="list-style-type: none"> plate 240 mm x 60 mm 22mm projection connection 1/2", for shortening plug-link mounting </div> </div>		
		<div> <div>  </div> <div> Brushed Platinum </div> <div> 13 425 979-06 </div> </div>	
		<div> <div>  </div> <div> Chrome </div> <div> 13 425 979-00 </div> </div>	
		<div> <div>  </div> <div> Platinum </div> <div> 13 425 979-08 </div> </div>	
		<div> <div>  </div> <div> Dark Chrome </div> <div> 13 425 979-19 </div> </div>	
		<div> <div>  </div> <div> Light Gold </div> <div> 13 425 979-26 </div> </div>	
		<div> <div>  </div> <div> Brushed Light Gold </div> <div> 13 425 979-27 </div> </div>	
		<div> <div>  </div> <div> Brushed Durabrass (23kt Gold) </div> <div> 13 425 979-28 </div> </div>	
		<div> <div>  </div> <div> Matte Black </div> <div> 13 425 979-33 </div> </div>	
		<div> <div>  </div> <div> Brushed Dark Brass </div> <div> 13 425 979-39 </div> </div>	
		<div> <div>  </div> <div> Brushed Bronze </div> <div> 13 425 979-42 </div> </div>	
		<div> <div>  </div> <div> Brushed Champagne (22kt Gold) </div> <div> 13 425 979-46 </div> </div>	
		<div> <div>  </div> <div> Champagne (22kt Gold) </div> <div> 13 425 979-47 </div> </div>	
		<div> <div>  </div> <div> Brushed Chrome </div> <div> 13 425 979-93 </div> </div>	
		<div> <div>  </div> <div> Brushed Dark Platinum </div> <div> 13 425 979-99 </div> </div>	

Recommended miscellaneous		Recommended miscellaneous	
<div> <div>  </div> <div> Concealed wall elbow - <ul style="list-style-type: none"> max. recess depth 163 mm min. recess depth 90 mm </div> </div>	35 085 970 90	<div> <div>  </div> <div> Concealed wall elbow - <ul style="list-style-type: none"> max. recess depth 163 mm min. recess depth 90 mm </div> </div>	35 085 970 90


WATER FALL Cascade spout with individual jets for wall mounting - Brushed Platinum

SERIES-VARIOUS

13 425 979 Product version from 10/1/2023
mm [inches]



Flow rate chart



Trajectory diagram



Codes & Standards

ASME A112.18.1

cUPC

DIN 4109

ISO 3822

Ü-Zeichen



WATER FALL Cascade spout with individual jets for wall mounting - Brushed Platinum

SERIES-VARIOUS

13 425 979 Product version from 10/1/2023

Certificates and sustainability

LGA_19

IAPMO_4976



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
6	09 31 11 144 90	pin	2.00	2
1	04 30 31 024 01 90	fixing set	1.00	2
8	90 29 03 071 00 90	insert	1.00	2
2	09 14 05 009 90	seal	1.00	2
3	09 17 97 053 90	holder	1.00	2
5	90 31 20 087 00-06	plug	1.00	10
4	90 24 03 199 00 90	connection	1.00	2