













WATER FALL Cascade spout with individual jets for wall mounting - Brushed Platinum


IMO

13 425 979	<ul style="list-style-type: none"> • 22mm projection • PEARLSTREAM • plate 240 mm x 60 mm • connection 1/2", for shortening • plug-link mounting • Max. flow rate 9.5 l/min (at 3 bar) 	<div>  <div>Brushed Platinum</div> </div> <div>13 425 979-06</div>
<div>  </div> <div> Fits: IMO, LULU, MADISON, MEM, TARA, CL.1, LISSÉ, VAIA, META, CYO </div>		<div>  <div>Chrome</div> </div> <div>13 425 979-00</div>
		<div>  <div>Platinum</div> </div> <div>13 425 979-08</div>
		<div>  <div>Dark Chrome</div> </div> <div>13 425 979-19</div>
		<div>  <div>Brushed Durabrass (23kt Gold)</div> </div> <div>13 425 979-28</div>
		<div>  <div>Matte Black</div> </div> <div>13 425 979-33</div>
		<div>  <div>Brushed Champagne (22kt Gold)</div> </div> <div>13 425 979-46</div>
		<div>  <div>Champagne (22kt Gold)</div> </div> <div>13 425 979-47</div>
		<div>  <div>Brushed Chrome</div> </div> <div>13 425 979-93</div>
		<div>  <div>Brushed Dark Platinum</div> </div> <div>13 425 979-99</div>

Recommended miscellaneous

<div>  </div> <div> Concealed wall elbow - <ul style="list-style-type: none"> • max. recess depth 163 mm • min. recess depth 90 mm </div>	35 085 970 90
---	---------------

Recommended miscellaneous

<div>  </div> <div> Concealed wall elbow - <ul style="list-style-type: none"> • max. recess depth 163 mm • min. recess depth 90 mm </div>	35 085 970 90
---	---------------


WATER FALL Cascade spout with individual jets for wall mounting - Brushed Platinum

IMO

13 425 979
mm [inches]



Flow rate chart




Trajectory diagram



Certificates

LGA_19935.

IAPMO_4976 (6).



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	04 30 31 024 01 90	fixing set	1	2
2	09 14 05 009 90	seal	1	2
3	09 17 97 053 90	holder	1	2
4	90 24 03 199 00 90	connection	1	2
5	90 31 20 087 00-06	plug	1	10
6	09 31 11 144 90	pin	2	2
8	90 29 03 071 00 90	insert	1	2