










IMO Bath spout for wall mounting - Brushed Light Gold


13 801 670 Product version from 4/1/2024



- 200mm projection
- rectangular normal flow
- hole diameter 37 mm
- 1/2" connection
- max. flow 25.1 l/min at 3 bar flow pressure
- WRAS

	Brushed Light Gold	13 801 670-27
	Chrome	13 801 670-00
	Brushed Platinum	13 801 670-06
	Dark Chrome	13 801 670-19
	Matte Black	13 801 670-33
	Brushed Chrome	13 801 670-93
	Brushed Dark Platinum	13 801 670-99


Recommended miscellaneous

- | | | |
|---|---|---------------|
|  | Concealed wall elbow -
• min. recess depth mm
• max. recess depth mm | 35 085 970 90 |
|---|---|---------------|


IMO Bath spout for wall mounting - Brushed Light Gold

13 801 670 Product version from 4/1/2024

mm [inches]




Flow rate chart



IMO Bath spout for wall mounting - Brushed Light Gold

13 801 670 Product version from 4/1/2024



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 18 40 139 90	base	1	2
2	09 27 67 008-27	rosette	1	60
3	09 23 01 057 90	flow reducer	1	2
4	04 28 22 241 00-27	spout	1	60