

MEM Three-hole basin mixer with pop-up waste - Chrome

MEM

20 713 782 Product version from 3/10/2014



- 165mm projection
- fixed spout
- rectangular, air-enriched flow
- height of mixer 277 mm
- height up to aerator 170 mm
- hole diameter spout 35 mm
- hole diameter valve 32 mm
- rosette 60 x 60 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- max. flow 8.3 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

Only suitable for basins with an overflow.

| | | |
|---|--------------------------------|---------------|
|  | Chrome | 20 713 782-00 |
|  | Brushed Platinum | 20 713 782-06 |
|  | Platinum | 20 713 782-08 |
|  | Dark Chrome | 20 713 782-19 |
|  | Brushed Durabronze (23kt Gold) | 20 713 782-28 |
|  | Brushed Champagne (22kt Gold) | 20 713 782-46 |
|  | Champagne (22kt Gold) | 20 713 782-47 |
|  | Brushed Dark Platinum | 20 713 782-99 |

Recommended miscellaneous




High pressure hoses -


- 2x 3/8" x 1/2" x 500mm high pressure hose

12 506 970 90

20 713 782 Product version from 3/10/2014



Flow rate chart



Codes & Standards

| | | | |
|---------------------------|--------------------------------|-----------------------------|------------|
| DIN 4109 | EN 200 | Executive Order no. 1007 | ISO 3822 |
| Scottish Water Byelaws | UK Water Supply Regulations | Ü-Zeichen | VA-Zeichen |



MEM Three-hole basin mixer with pop-up waste - Chrome

MEM

20 713 782 Product version from 3/10/2014

Certificates and sustainability

WRAS_2306 LGA_18 ETA_18 GDV_0400



MEM Three-hole basin mixer with pop-up waste - Chrome

MEM

20 713 782 Product version from 3/10/2014

Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|--------------------|---------------|---------------|
| 1 | 90 28 22 158 00-00 | spout | 1.00 | 10 |
| 4 | 09 31 09 080-00 | pull-rod | 1.00 | 10 |
| 8 | 90 90 03 152 00 90 | top | 1.00 | 2 |
| 7 | 09 11 10 054 10 90 | connection | 1.00 | 2 |
| 23 | 09 30 11 059 90 | disc | 2.00 | 2 |
| 12 | 09 23 01 052 90 | flow reducer | 1.00 | 2 |
| 16 | 90 20 78 002 04-00 | handle (cold) | 1.00 | 10 |
| 2 | 04 20 78 030 80-00 | pull-rod | 1.00 | 10 |
| 18 | 04 17 11 058 53 90 | side panel | 1.00 | 2 |
| 9 | 04 17 11 058 52 90 | side panel | 1.00 | 2 |
| 11 | 09 16 01 016 90 | ring | 1.00 | 2 |
| 5 | 09 27 78 032-00 | rosette | 1.00 | 10 |
| 10 | 09 14 10 130 90 | seal | 1.00 | 2 |
| 15 | 04 23 10 009 01 90 | fixing set | 1.00 | 2 |
| 25 | 90 20 78 002 05-00 | handle (hot) | 1.00 | 10 |
| 20 | 04 17 11 023 10 90 | distributor | 2.00 | 2 |
| 6 | 09 14 10 166 90 | seal | 1.00 | 2 |
| 19 | 04 23 10 032 78 90 | fixing set | 2.00 | 2 |
| 13 | 09 11 10 055 10 90 | connection | 1.00 | 2 |
| 17 | 90 90 03 153 00 90 | top | 1.00 | 2 |
| 3 | 09 20 78 030-00 | handle | 1.00 | 10 |
| 24 | 09 23 10 012 90 | nut | 2.00 | 2 |
| 22 | 90 11 01 001 00-00 | pop-up waste | 1.00 | 10 |
| 21 | 90 23 30 040 00-00 | threaded connector | 4.00 | 10 |
| 14 | 04 30 04 019 00 90 | hose | 2.00 | 2 |