

Single-lever bath mixer with stand pipe for free-standing assembly with hand shower set - Dark Chrome

SERIES SPECIFIC

25 863 661



- spout: circular, air-enriched flow
- max. flow 19.5 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- bar-type hand shower with anti-scale system
- pivotable spout 360°
- 281mm projection
- wall bracket
- automatic bath/shower diverter
- total height 1031 - 1101 mm
- stand pipe height 565 - 635 mm
- height up to aerator 899 – 969 mm
- slide-on rosettes Ø 135 mm
- metal shower hose 1250mm with integrated anti-twist protection
- WRAS


Intrinsic protection against back flow.

| | | |
|---|--------------------------------|---------------|
|  | Dark Chrome | 25 863 661-19 |
|  | Chrome | 25 863 661-00 |
|  | Brushed Platinum | 25 863 661-06 |
|  | Light Gold | 25 863 661-26 |
|  | Brushed Light Gold | 25 863 661-27 |
|  | Brushed Durabronze (23kt Gold) | 25 863 661-28 |
|  | Matte Black | 25 863 661-33 |
|  | Brushed Bronze | 25 863 661-42 |
|  | Brushed Champagne (22kt Gold) | 25 863 661-46 |
|  | Champagne (22kt Gold) | 25 863 661-47 |
|  | Brushed Chrome | 25 863 661-93 |
|  | Brushed Dark Platinum | 25 863 661-99 |


Single-lever bath mixer with stand pipe for free-standing assembly with hand shower set - Dark Chrome

SERIES SPECIFIC

25 863 661



Flow rate chart



Codes & Standards

ASME A112.18.1

cUPC



Single-lever bath mixer with stand pipe for free-standing assembly with hand shower set - Dark Chrome

SERIES SPECIFIC

25 863 661

Certificates and sustainability

IAPMO_4976

Single-lever bath mixer with stand pipe for free-standing assembly with hand shower set - Dark Chrome

SERIES SPECIFIC

25 863 661

Parts for other
finishes can be found
here: [Chrome](#)

