

LULU Hand shower set with individual rosettes FlowReduce - Chrome





LULU

27 808 710



- COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 78 x 55mm
- rosette for shower holder 78 x 55mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

| | | |
|---|------------------|--------------------|
|  | Chrome | 27 808 710-00 0010 |
|  | Chrome | 27 808 710-00 |
|  | Brushed Platinum | 27 808 710-06 |
|  | Brushed Platinum | 27 808 710-06 0010 |

Recommended miscellaneous




- Concealed wall elbow -
 - max. recess depth 163 mm
 - min. recess depth 90 mm


35 085 970 90

27 808 710

mm [inches]




Flow rate chart



Certificates

LGA_29985.

IAPMO_4976 (1).



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|--|--------------------|--|---------------|---------------|
| 1 | 28 450 710-00 | LULU Wall elbow - Chrome | 1 | 10 |
| 2 | 28 050 710-00 | LULU Wall bracket - Chrome | 1 | - |
| Spare part can no longer be ordered, please order the replacement item | | | | |
| 3 | 90 30 02 072 00-00 | Metal shower hose 1/2" x 3/8" x 1250 mm - Chrome | 1 | 10 |
| 4 | 90 12 11 140 30-00 | shower | 1 | 10 |