

Wall elbow - Platinum

















SERIES SPECIFIC

28 450 625 Product version up to 7/6/2018



- 3/8" shower outlet
- rosette Ø 55 mm
- 1/2" connection
- WRAS

Intrinsic protection against back flow.

| | | |
|-------------------------------------------------------------------------------------|-----------------------------------|---------------|
|  | Platinum | 28 450 625-08 |
|  | Chrome | 28 450 625-00 |
|  | brushed chrome | 28 450 625-04 |
|  | Brushed Platinum | 28 450 625-06 |
|  | Dark Chrome | 28 450 625-19 |
|  | Light Gold | 28 450 625-26 |
|  | Brushed Light Gold | 28 450 625-27 |
|  | Brushed Durabronze (23kt Gold) | 28 450 625-28 |
|  | Matte Black | 28 450 625-33 |
|  | Brushed Dark Brass | 28 450 625-39 |
|  | Brushed Bronze | 28 450 625-42 |
|  | aluminium | 28 450 625-45 |
|  | Brushed Champagne (22kt Gold) | 28 450 625-46 |
|  | Champagne (22kt Gold) | 28 450 625-47 |
|  | Brushed Chrome | 28 450 625-93 |
|  | Brushed Dark Platinum | 28 450 625-99 |

Recommended miscellaneous




- Concealed wall elbow -** 35 085 970 90
- max. recess depth 163 mm
 - min. recess depth 90 mm

28 450 625 Product version up to 7/6/2018

mm [inches]



Flow rate chart



Codes & Standards

| | | | |
|--------------------------------|-------------|---------|---------------------------|
| ASME A112.18.1 | cUPC | EN 1717 | Scottish Water Byelaws |
| UK Water Supply Regulations | XP P 41-280 | | |




Wall elbow - Platinum

SERIES SPECIFIC

28 450 625 Product version up to 7/6/2018

Certificates and sustainability

Belgaqua_21-381-2 ACS_20 ACC LY IAPMO_4976 WRAS_240702



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|---------------------|---------------|---------------|
| 5 | 09 11 03 036-08 | connection | 1.00 | 40 |
| 2 | 09 27 22 503-08 | rosette | 1.00 | 40 |
| 3 | 09 16 01 014 90 | ring | 1.00 | 2 |
| 4 | 90 23 01 141 00 90 | back-flow preventer | 2.00 | 2 |
| 1 | 90 14 10 026 00 90 | seal | 1.00 | 2 |
| 6 | 90 21 02 069 00-08 | cover | 1.00 | 40 |