

Wall elbow - Matte Black

SERIES SPECIFIC

28 450 980
Product version up to 7/6/2018



- 3/8" shower outlet
- rosette 60 x 60 mm
- 1/2" connection
- WRAS

Intrinsic protection against back flow.

| | | |
|---|-------------------------------|---------------|
|  | Matte Black | 28 450 980-33 |
|  | Chrome | 28 450 980-00 |
|  | Brushed Platinum | 28 450 980-06 |
|  | Platinum | 28 450 980-08 |
|  | Durabrand (23kt Gold) | 28 450 980-09 |
|  | Dark Chrome | 28 450 980-19 |
|  | Light Gold | 28 450 980-26 |
|  | Brushed Light Gold | 28 450 980-27 |
|  | Brushed Durabrand (23kt Gold) | 28 450 980-28 |
|  | Brushed Bronze | 28 450 980-42 |
|  | Brushed Champagne (22kt Gold) | 28 450 980-46 |
|  | Champagne (22kt Gold) | 28 450 980-47 |
|  | Brushed Chrome | 28 450 980-93 |
|  | Brushed Dark Platinum | 28 450 980-99 |

Recommended miscellaneous


Concealed wall elbow -

35 085 970 90



- max. recess depth 163 mm
- min. recess depth 90 mm

mm [inches]



Flow rate chart



Codes & Standards

| | | | |
|-----------------------------|------|---------|------------------------|
| ASME A112.18.1 | cUPC | EN 1717 | Scottish Water Byelaws |
| UK Water Supply Regulations | | | |



Wall elbow - Matte Black

SERIES SPECIFIC

28 450 980 Product version up to 7/6/2018

Certificates and sustainability

Belgaqua_22_280_2 WRAS_2310

IAPMO_4976



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|---------------------|---------------|---------------|
| 12 | 09 24 03 107 20 90 | nipple | 1.00 | 2 |
| 7 | 09 31 11 026 90 | pin | 1.00 | 2 |
| 1 | 09 16 01 014 90 | ring | 1.00 | 2 |
| 9 | 09 11 03 046-33 | connection | 1.00 | 30 |
| 4 | 09 14 10 008 90 | seal | 1.00 | 2 |
| 10 | 09 31 11 005 90 | pin | 1.00 | 2 |
| 3 | 09 24 03 116 20 90 | nipple | 1.00 | 2 |
| 6 | 09 30 30 054 90 | screw | 1.00 | 2 |
| 8 | 09 27 82 006-33 | rosette | 1.00 | 30 |
| 5 | 09 14 10 142 90 | seal | 1.00 | 2 |
| 11 | 90 14 10 077 00 90 | seal | 1.00 | 2 |
| 13 | 90 21 02 069 00-33 | cover | 1.00 | 30 |
| 2 | 90 23 01 141 00 90 | back-flow preventer | 1.00 | 2 |