

## MADISON Shower head - Chrome

MADISON

28 508 360



- 200mm projection
- ball-joint pivotable through 30°
- Three settings: PURIFY RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 9 l/min (at 3 bar)
- Function from: 7 l/min
- with anti-scale system
- spray head Ø 94mm
- rosette Ø 55 mm
- 1/2" connection

|  |                               |                    |
|--|-------------------------------|--------------------|
|    | Chrome                        | 28 508 360-00      |
|    | Chrome                        | 28 508 360-00 0010 |
|    | Brushed Platinum              | 28 508 360-06 0010 |
|    | Brushed Platinum              | 28 508 360-06      |
|    | Platinum                      | 28 508 360-08 0010 |
|    | Platinum                      | 28 508 360-08      |
|    | Durabrand (23kt Gold)         | 28 508 360-09 0010 |
|    | Durabrand (23kt Gold)         | 28 508 360-09      |
|    | Brushed Durabrand (23kt Gold) | 28 508 360-28 0010 |
|   | Brushed Durabrand (23kt Gold) | 28 508 360-28      |
|  | Brushed Dark Platinum         | 28 508 360-99 0010 |
|  | Brushed Dark Platinum         | 28 508 360-99      |

### Recommended miscellaneous

#### Concealed wall elbow -


35 085 970 90



- max. recess depth 163 mm
- min. recess depth 90 mm


28 508 360

mm [inches]



### Flow rate chart







## MADISON Shower head - Chrome

MADISON

28 508 360

### Spare parts list

| No. | Item Number     | Name    | Quantity used | Delivery time |
|-----|-----------------|---------|---------------|---------------|
|     | 09 27 35 003-00 | rosette | 4             | 10            |