







LISSÉ Single-lever shower mixer for wall mounting - Brushed Light Gold

33 300 845 Product version from 4/1/2024



- 3/8" shower outlet
 - slide-on rosettes Ø 60 mm
 - 1/2" connection
 - gauge 150 mm - 15 mm
 - WRAS
- Intrinsic protection against back flow.**

Intrinsic protection against back flow.

	Brushed Light Gold	33 300 845-27
	Chrome	33 300 845-00
	Brushed Platinum	33 300 845-06
	Dark Chrome	33 300 845-19
	Matte Black	33 300 845-33
	Brushed Chrome	33 300 845-93
	Brushed Dark Platinum	33 300 845-99

Required miscellaneous



Single holder for 15 mm PEX pipes -
•for 15 mm PEX pipes

29 022 970 90

Required miscellaneous




Single holder for 16 mm AluPEX pipes -
•for 16 mm AluPEX pipes

29 021 970 90


LISSE Single-lever shower mixer for wall mounting - Brushed Light Gold

33 300 845 Product version from 4/1/2024

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109 ISO 3822 Ü-Zeichen



LISSE Single-lever shower mixer for wall mounting - Brushed Light Gold


33 300 845 Product version from 4/1/2024

Certificates

LGA_9

LISSÉ Single-lever shower mixer for wall mounting - Brushed Light Gold

33 300 845 Product version from 4/1/2024



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 20 84 021-27	handle	1	60
2	90 31 11 030 00 90	pin	1	2
3	09 28 30 032-27	cover	1	60
4	90 31 20 087 00-27	plug	1	30
5	09 14 10 102 90	seal	1	2
6	09 14 10 190 90	seal	1	2
7	90 15 05 046 01 90	cartridge	1	2
8	04 11 04 030 00 90	connection	2	2
9	09 27 62 004-27	rosette	2	60
10	09 14 10 119 90	seal	2	2
11	09 29 05 005 20-27	nipple	2	-
Spare part can no longer be ordered, please order the replacement item				
12	09 14 10 008 90	seal	2	2
13	09 23 10 048-27	nut	2	60
14	09 18 40 059-27	sleeve	2	60
15	90 23 01 141 00 90	back-flow preventer	1	2
16	90 14 10 032 00 90	seal	1	2
17	09 24 03 115 20-27	nipple	1	60
18	90 21 02 069 00-27	cover	1	30