







IMO Single-lever shower mixer for wall mounting - Brushed Chrome

IMO

33 301 670
Product version from 3/9/2015 to 7/17/2018



- 3/8" shower outlet
 - slide-on rosettes Ø 60 mm
 - 1/2" connection
 - gauge 150 mm - 15 mm
- Intrinsic protection against back flow.

	Brushed Chrome	33 301 670-93
	Chrome	33 301 670-00
	Brushed Platinum	33 301 670-06
	Dark Chrome	33 301 670-19
	Brushed Light Gold	33 301 670-27
	Matte Black	33 301 670-33

33 301 670 Product version from 3/9/2015 to 7/17/2018

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

EN 1717

ISO 3822

Ü-Zeichen



IMO Single-lever shower mixer for wall mounting - Brushed Chrome

IMO

33 301 670 Product version from 3/9/2015 to 7/17/2018

Certificates and sustainability

Belgaqua_21-025-2 LGA_9

IMO Single-lever shower mixer for wall mounting - Brushed Chrome

IMO

33 301 670 Product version from 3/9/2015 to 7/17/2018

Parts for other
finishes can be found
here: [Chrome](#)



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	8 09 14 10 119 90	seal	2.00	2
	2 09 24 04 107-93	nut	1.00	20
	11 09 23 10 048-93	nut	2.00	20
	10 09 14 10 008 90	seal	2.00	2
	1 09 20 67 004-93	handle	1.00	20
	12 09 18 40 059-93	sleeve	2.00	20
	6 04 11 04 030 00 90	connection	2.00	2
	7 09 27 62 004-93	rosette	2.00	20
	5 90 15 05 064 00 90	cartridge	1.00	2
	4 09 31 20 017 90	plug	1.00	2
	15 09 24 03 115 20-93	nipple	1.00	20
	16 90 21 02 069 00-93	cover	1.00	-
Spare part can no longer be ordered, please order the replacement item				
	14 90 14 10 032 00 90	seal	1.00	2
	3 90 31 11 030 00 90	pin	1.00	2
	9 09 29 05 005 20 90	nipple	2.00	60
	13 90 23 01 141 00 90	back-flow preventer	1.00	2