












TARA ULTRA Single-lever mixer - Matte Black

TARA ULTRA

33 800 875



- 201mm projection
- pivotable spout 360°
- air-enriched flow
- height of mixer 373 mm
- height up to aerator 240 mm
- hole diameter 35 mm
- max. flow 8 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

	Matte Black	33 800 875-33
	Chrome	33 800 875-00
	Brushed Platinum	33 800 875-06
	Platinum	33 800 875-08
	Durabrass (23kt Gold)	33 800 875-09
	Dark Chrome	33 800 875-19
	Brushed Durabrass (23kt Gold)	33 800 875-28
	Brushed Champagne (22kt Gold)	33 800 875-46
	Champagne (22kt Gold)	33 800 875-47
	Brushed Chrome	33 800 875-93
	Brushed Dark Platinum	33 800 875-99

Recommended miscellaneous

Dispenser without rosette - Matte Black 82 424 970-33



Recommended miscellaneous

Strainer waste with control handle - Matte Black 10 712 970-33



The graph shows the relationship between bar length and luminosity. The x-axis, labeled 'bar', ranges from 0 to 6. The y-axis, labeled 'Lumin', ranges from 0 to 10. The curve starts at the origin (0,0) and increases rapidly, reaching a luminosity of about 7.5 at a bar length of 1. After this point, the curve flattens out, with luminosity increasing only slightly to approximately 8.1 at a bar length of 6.

bar	Lumin
0	0.0
1	7.5
2	7.8
3	7.9
4	8.0
5	8.05
6	8.1

GDV_0400195. LGA_18899. WRAS_2101012. ETA_18980.

33 800 875

Parts for other
finishes can be found
here: [Chrome](#)

