

## Shower thermostat for wall mounting - Brushed Durabrand (23kt Gold)

SERIES SPECIFIC

34 442 979 Product version from 10/1/2023



- 3/8" shower outlet
- slide-on rosettes Ø 70 mm
- 1/2" connection
- gauge 150 mm - 13 mm
- with volume control
- WRAS

Intrinsic protection against back flow.

|   |                               |               |
|---|-------------------------------|---------------|
|    | Brushed Durabrand (23kt Gold) | 34 442 979-28 |
|    | Chrome                        | 34 442 979-00 |
|    | Brushed Platinum              | 34 442 979-06 |
|    | Platinum                      | 34 442 979-08 |
|    | Dark Chrome                   | 34 442 979-19 |
|    | Light Gold                    | 34 442 979-26 |
|    | Brushed Light Gold            | 34 442 979-27 |
|    | Matte Black                   | 34 442 979-33 |
|    | Brushed Dark Brass            | 34 442 979-39 |
|   | Brushed Bronze                | 34 442 979-42 |
|  | Brushed Champagne (22kt Gold) | 34 442 979-46 |
|  | Champagne (22kt Gold)         | 34 442 979-47 |
|  | Brushed Chrome                | 34 442 979-93 |
|  | Brushed Dark Platinum         | 34 442 979-99 |

34 442 979 Product version from 10/1/2023

mm [inches]



### Flow rate chart



### Codes & Standards

DIN 4109 EN 1111 EN 1717 ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



Shower thermostat for wall mounting - Brushed Durabross (23kt Gold)

SERIES SPECIFIC

34 442 979    Product version from 10/1/2023

Certificates and sustainability

---

|                 |        |           |                   |
|-----------------|--------|-----------|-------------------|
| DVGW_DW-6509DN0 | LGA_29 | WRAS_2204 | Belgaqua_21-032-2 |
|-----------------|--------|-----------|-------------------|

## Shower thermostat for wall mounting - Brushed Durabronz (23kt Gold)

SERIES SPECIFIC

34 442 979 Product version from 10/1/2023

Parts for other  
finishes can be found  
here: [Chrome](#)



### Spare parts list

| No. | Item Number           | Name       | Quantity used | Delivery time |
|-----|-----------------------|------------|---------------|---------------|
|     | 7 09 29 30 050 90     | sieve      | 2.00          | 2             |
|     | 9 09 24 77 008-00     | nut        | 2.00          | 10            |
|     | 3 90 30 40 010 00 90  | regulator  | 1.00          | 2             |
|     | 11 90 30 40 017 00 90 | base       | 1.00          | 2             |
|     | 6 90 31 20 512 00-28  | rosette    | 2.00          | 20            |
|     | 8 04 31 20 540 00 90  | insert     | 1.00          | 2             |
|     | 2 90 15 02 070 00 90  | cartridge  | 1.00          | 2             |
|     | 1 90 17 33 015 00-28  | handle     | 2.00          | 20            |
|     | 5 04 11 04 030 00 90  | connection | 2.00          | 2             |
|     | 10 90 90 03 236 00 90 | top        | 1.00          | 2             |
|     | 13 09 31 20 511-28    | nipple     | 1.00          | 60            |
|     | 4 04 31 20 530 00 90  | insert     | 1.00          | 2             |
|     | 14 90 21 02 069 00-28 | cover      | 1.00          | 20            |
|     | 12 90 14 10 010 00 90 | seal       | 1.00          | 2             |