


Concealed wall mounting -

35 050 970 90



- red brass, lead-free
- 2x female thread 1/2" connections
- dust cover
- anti-water packing
- soundproofing


Recommended miscellaneous

	Leak protection 1/2" - •This article is needed 2x.	12 010 970 90
---	--	---------------

Recommended miscellaneous

	Rosette - Chrome •with angular rosette	12 720 980-00
---	--	---------------

Recommended miscellaneous

	Extension 25 mm -	12 055 970 90
---	--------------------------	---------------


Recommended miscellaneous

	Rosette - Chrome •with round rosette	12 720 660-00
---	--	---------------

Concealed wall mounting -

35 050 970 90

mm [inches]



Flow rate chart




Certificates

DVGW_DW-6512DN0126. WRAS_2101043. WRAS_2011027.

Concealed wall mounting -

35 050 970 90



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	04 14 03 072 01 90	gasket kit	1	2
2	09 21 02 173 90	cap	1	2
3	90 31 20 116 00 90	plug	1	2
4	09 31 20 094 90	plug	1	2
5	09 31 20 093 90	plug	1	2
6	04 30 31 024 01 90	fixing set	2	2
7	09 30 11 144 90	disc	2	2
8	09 30 30 049 90	screw	2	2