

35 503 970 90



- red brass, lead-free
- 2x back flow preventer
- 2x female thread 3/4" connections
- 2x female thread 3/4" outlet for additional valves
- dust cover
- anti-water packing
- soundproofing
- suitable for xGRID (when using installation track + 12 mm recess depth)

Recommended miscellaneous

Extension 28 mm -

12 177 970 90



Recommended miscellaneous

Extension 46 mm -

12 178 970 90




Recommended miscellaneous

**Drybox Thermostat module
without volume control -**

- Overflow is part of the scope of delivery.

39 503 970 90



Recommended miscellaneous

**xGRID Attachment set for
integrating in the dry wall
construction -**

12 340 970 90




Required miscellaneous

xGRID Installation track 555 mm - 12 360 970 90



35 503 970 90



Codes & Standards

EN 1111

EN 1717

XP P 41-280

Certificates and sustainability

Belgaqua_21-031-2 ACS_21 ACC LY

DVGW_DW-
6512DN0

35 503 970 90



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|---------------------|---------------|---------------|
| 6 | 04 31 20 100 00 90 | plug | 1.00 | 2 |
| 11 | 04 30 31 054 00 90 | fixing set | 2.00 | 2 |
| 1 | 90 23 01 091 00 90 | set | 4.00 | 2 |
| 7 | 09 14 10 111 90 | seal | 1.00 | 2 |
| 4 | 04 21 34 077 00 90 | nipple | 2.00 | 2 |
| 5 | 09 14 10 098 90 | seal | 2.00 | 2 |
| 8 | 09 30 30 112 90 | screw | 4.00 | 2 |
| 3 | 90 23 01 045 00 90 | back-flow preventer | 2.00 | 2 |
| 2 | 09 31 20 003 90 | plug | 1.00 | 2 |
| 10 | 04 14 03 073 04 90 | gasket kit | 1.00 | 2 |
| 9 | 04 21 02 174 01 90 | cap | 1.00 | 2 |