

## Concealed single-lever mixer with cover plate - Brushed Durabronze (23kt Gold)

36 060 660 Product version from 6/29/2020



- cover plate Ø 78 mm
- WRAS

	Brushed Durabronze (23kt Gold)	36 060 660-28
	Chrome	36 060 660-00
	Brushed Platinum	36 060 660-06
	Platinum	36 060 660-08
	Dark Chrome	36 060 660-19
	Light Gold	36 060 660-26
	Brushed Light Gold	36 060 660-27
	Matte Black	36 060 660-33
	Brushed Bronze	36 060 660-42
	Brushed Champagne (22kt Gold)	36 060 660-46
	Champagne (22kt Gold)	36 060 660-47
	Brushed Chrome	36 060 660-93
	Brushed Dark Platinum	36 060 660-99

### Required miscellaneous



- Concealed wall-mounted single-lever mixer -** 35 860 970 90
- max. recess depth mm
  - min. recess depth mm

Concealed single-lever mixer with cover plate - Brushed Durabronz (23kt Gold)

36 060 660
Product version from 6/29/2020

mm [inches]



Codes & Standards


DIN 4109	ISO 3822	Scottish Water Byelaws	UK Water Supply Regulations
Ü-Zeichen			

Certificates

WRAS_2107	LGA_29
-----------	--------

**Concealed single-lever mixer with cover plate - Brushed Durabronz (23kt Gold)**

36 060 660    Product version from 6/29/2020



**Spare parts list**

No.	Item Number	Name	Quantity used	Delivery time
1	90 15 05 064 01 90	cartridge	1	2
2	90 27 66 009 00-28	rosette	1	20
3	09 11 02 293-28	cover	1	60
4	90 20 66 006 00-28	handle	1	20
5	90 30 09 064 00 90	key	1	2