

Concealed single-lever mixer with diverter - Brushed Champagne (22kt Gold)

SERIES SPECIFIC

36 120 670 Product version from 2/20/2020



- automatic diverter
- cover plate 150 x 90 mm
- WRAS

| | | |
|---|-------------------------------|---------------|
|  | Brushed Champagne (22kt Gold) | 36 120 670-46 |
|  | Chrome | 36 120 670-00 |
|  | Brushed Platinum | 36 120 670-06 |
|  | Platinum | 36 120 670-08 |
|  | Dark Chrome | 36 120 670-19 |
|  | Brushed Light Gold | 36 120 670-27 |
|  | Brushed Durabrass (23kt Gold) | 36 120 670-28 |
|  | Matte Black | 36 120 670-33 |
|  | Champagne (22kt Gold) | 36 120 670-47 |
|  | Brushed Chrome | 36 120 670-93 |
|  | Brushed Dark Platinum | 36 120 670-99 |

Required miscellaneous



- Concealed single-lever mixer -

35 020 970 90
- max. recess depth 105 mm
 - min. recess depth 80 mm

Required miscellaneous



- xGRID Installation track 555 mm -

12 360 970 90

Required miscellaneous



- Concealed single-lever mixer with backflow preventor -

35 021 970 90
- max. recess depth 105 mm
 - min. recess depth 80 mm

Recommended miscellaneous




- xGRID Attachment set for integrating in the dry wall construction -

12 340 970 90

Concealed single-lever mixer with diverter - Brushed Champagne (22kt Gold) SERIES SPECIFIC

36 120 670 Product version from 2/20/2020

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Scottish Water
Byelaws

UK Water Supply
Regulations

Ü-Zeichen



Concealed single-lever mixer with diverter - Brushed Champagne (22kt Gold) SERIES SPECIFIC

36 120 670 Product version from 2/20/2020

Certificates and sustainability

LGA_19

WRAS_2207

Concealed single-lever mixer with diverter - Brushed Champagne (22kt Gold) SERIES SPECIFIC

36 120 670 Product version from 2/20/2020

