
















xTOOL Concealed thermostat without volume control 1/2" - Brushed Champagne (22kt Gold)

META

36 501 979			
	<ul style="list-style-type: none"> cover plate Ø 124 mm temperature control handle with safety limit stop at 38°C thermostat cartridge 		Brushed Champagne (22kt Gold) 36 501 979-46
			Chrome 36 501 979-00
			Brushed Platinum 36 501 979-06
			Platinum 36 501 979-08
			Durabrand (23kt Gold) 36 501 979-09
			Dark Chrome 36 501 979-19
			Brushed Durabrand (23kt Gold) 36 501 979-28
			Matte Black 36 501 979-33
			Champagne (22kt Gold) 36 501 979-47
			Brushed Chrome 36 501 979-93
			Brushed Dark Platinum 36 501 979-99

Required miscellaneous		
	xTOOL Concealed thermostat module without volume control - <ul style="list-style-type: none"> max. recess depth 110 mm min. recess depth 85 mm 	35 503 970 90


Required miscellaneous		
	xGRID Installation track 555 mm -	12 360 970 90

Recommended miscellaneous		
	xGRID Attachment set for integrating in the dry wall construction -	12 340 970 90

**xTOOL Concealed thermostat without volume control 1/2" - Brushed
Champagne (22kt Gold)**

META

36 501 979
mm [inches]



Certificates

WRAS_2011026. DVGW_DW-
6512DN0706. LGA_29930.

xTOOL Concealed thermostat without volume control 1/2" - Brushed
Champagne (22kt Gold)

META

36 501 979

