

# SERENITY SKY Rain panel for recessed ceiling installation with light - Brushed Champagne (22kt Gold)

41 771 979 Product version from 9/1/2024



- exposed trim parts
- Rain panel with 2 different spray modes
- PURIFY RAIN, 175 x 175 mm, max. flow rate 10 l/min (at 3 bar)
- FULL RAIN, 455 x 315 mm, max. flow rate 14 l/min (at 3 bar)
- Rain panel, 600 x 420 mm
- min. recess depth 150 mm
- weight 15kg
- feed pipe (hot/cold): 2x DN 20
- with anti-scale system
- Recommended control element: xTool

## Ceiling module power supply

- 24V DC (CV)

## Ambient lighting

- LED coloured light RGBW
- Bulbs protected against splashing water

## Activation

- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway

## Environment

- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).
- Dornbracht recommends consulting a systems integrator.

|  |                               |               |
|--|-------------------------------|---------------|
|  | Brushed Champagne (22kt Gold) | 41 771 979-46 |
|  | Chrome                        | 41 771 979-00 |
|  | Dark Chrome                   | 41 771 979-19 |
|  | Brushed Bronze                | 41 771 979-42 |
|  | Champagne (22kt Gold)         | 41 771 979-47 |
|  | Brushed Stainless Steel       | 41 771 979-86 |
|  | Brushed Dark Platinum         | 41 771 979-99 |

## Required miscellaneous




### SERENITY SKY Concealed ceiling installation box with light - 35 771 970 90


- concealed rough parts
- flush-mounted reflection box, 662 x 482 mm, RAL 9003, Signal White
- 2x female thread 1/2" connections
- min. recess depth mm
- weight 15kg
- Supply pipe 7 m
- Input 100-240V AC 50-60Hz
- Output 24V DC SELV / Class 2
- ZigBee Light Link RGBW controller
- Provided by customer: Zigbee gateway

SERENITY SKY Rain panel for recessed ceiling installation with light - Brushed Champagne (22kt Gold)

41 771 979    Product version from 9/1/2024  
mm [inches]  
1:10




Flow rate chart



SERENITY SKY Rain panel for recessed ceiling installation with light - Brushed Champagne (22kt Gold)

41 771 979
Product version from 9/1/2024



Spare parts list

| No.  | Item Number        | Name                   | Quantity used | Delivery time |
|--|--------------------|------------------------|---------------|---------------|
| 1  | 90 12 01 095 02 90 | shower                 | 1             | -             |
| Spare part can no longer be ordered, please order the replacement item |                    |                        |               |               |
| 2  | 91 16 02 053 00 90 | holder                 | 1             | 2             |
| 3  | 90 12 05 106 00-46 | cover                  | 1             | 30            |
| 4  | 90 10 01 263 00 90 | electronic accessories | 1             | 2             |
| 5  | 90 30 04 033 00 90 | hose                   | 1             | 2             |