


42 765 970 90



Fits: IMO, LULU, MADISON, MEM, TARA, CL.1, LISSÉ, VAIA, META, CYO

- automatic hygiene flush
- suitable for thermal disinfection
- adjustable follow-up time
- high-frequency sensors with self-calibration
- magnetic valve
- temperature setting via thermostat
- 100-240 V AC / 12 V DC, 50-60 Hz, 18 W power supply unit, incl. country-specific adapter set


Cannot be combined with basins in conducting materials (e.g. steel, river stone).
Cannot be combined with basins that have a closing drain.
ATTENTION: Separate terms and conditions for electronic articles are applicable.

Cannot be combined with basins in conducting materials (e.g. steel, river stone).


Cannot be combined with basins that have a closing drain.

ATTENTION: Separate terms and conditions for electronic articles are applicable.


Required miscellaneous

	eSET Touchfree Basin mixer with temperature setting for combining with free-standing fittings -	35 740 970 90
--	--	---------------

Recommended miscellaneous


	Extension for Touchfree 500 mm -	12 765 970 90
---	---	---------------

Required miscellaneous

	eSET Touchfree Basin mixer with temperature setting for combining with wall-mounted fittings -	35 741 970 90
	<ul style="list-style-type: none"> • max. recess depth 125 mm • min. recess depth 90 mm 	

42 765 970 90


mm [inches]



Certificates

LGA_29120.	WRAS_1906116.	IAPMO_EGS.	CE000001_eSet_Touchfree_20171206_DE_signed.	CE000002_eSet_Touchfree_20171206_EN_signed.
LGA_29119.				

42 765 970 90



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 10 01 177 00 90	electronic accessories	1	2
2	90 17 20 199 00 90	holder	1	2
3	90 23 01 124 00 90	sleeve	1	2
4	09 23 10 129 90	nut	1	2
5	04 30 50 079 00 90	valve	1	2
6	90 15 02 013 00 90	cartridge	1	2
7	04 10 01 246 00 90	electronic accessories	1	2
8	04 30 31 024 01 90	fixing set	1	2