

TARA xTOOL Thermostat module with 1 valve - Brushed Champagne (22kt Gold)

TARA

ST 060 109 8892



- cover plate Ø 124 mm
- rosette Ø 55 mm
- temperature control handle with safety limit stop at 38°C
- thermostat cartridge
- head part with cut-to-length spindle and sleeve

	Brushed Champagne (22kt Gold)	ST 060 109 8892-46
	Chrome	ST 060 109 8892-00
	Brushed Platinum	ST 060 109 8892-06
	Platinum	ST 060 109 8892-08
	Brushed Light Gold	ST 060 109 8892-27
	Brushed Durabronze (23kt Gold)	ST 060 109 8892-28
	Matte Black	ST 060 109 8892-33
	Champagne (22kt Gold)	ST 060 109 8892-47
	Brushed Chrome	ST 060 109 8892-93
	Brushed Dark Platinum	ST 060 109 8892-99

Individual components of this set

You need the following components for this set

1x 36 501 979-46



1x 36 607 892-46



TARA xTOOL Thermostat module with 1 valve - Brushed Champagne (22kt Gold)

TARA

ST 060 109 8892
Error: Subreport could not be shown.



- rosette Ø 55 mm
- head part with cut-to-length spindle and sleeve
- WRAS 2011026, 2010066

	Brushed Champagne (22kt Gold)	36 607 892-4
	Chrome	36 607 892-0
	Brushed Platinum	36 607 892-0
	Platinum	36 607 892-0
	Dark Chrome	36 607 892-1
	Brushed Durabronze (23kt Gold)	36 607 892-2
	Matte Black	36 607 892-3
	Brushed Bronze	36 607 892-4
	Champagne (22kt Gold)	36 607 892-4
	Brushed Chrome	36 607 892-9
	Brushed Dark Platinum	36 607 892-9

TARA xTOOL Thermostat module with 1 valve - Brushed Champagne (22kt Gold)

TARA

ST 060 109 8892

6
—
10
—
16
—
18
—
9
—
8
—
3
—
2
—
7
—
3
—
9
—

Required miscellaneous



Wall valve 1/2" -


35 607 970 90

- max. recess depth 145 mm
- min. recess depth 85 mm

TARA xTOOL Thermostat module with 1 valve - Brushed Champagne (22kt Gold)

TARA

ST 060 100 8892
mm [inches]



Certificates

DVGW_DW-6501DN0	WRAS_2010	LGA_29	DVGW_DW-6512DN0	WRAS_2011
-----------------	-----------	--------	-----------------	-----------




TARA xTOOL Thermostat module with 1 valve - Brushed Champagne (22kt Gold)

TARA

ST 060 109 8892

Codes & Standards

DIN 4109	EN 1111	EN 200	ISO 3822
Scottish Water Byelaws	UK Water Supply Regulations	Ü-Zeichen	



Spare parts list

Product version from 10/27/2020