

SYMETRICS Wall-mounted basin spout without pop-up waste - Chrome

13 800 980



- 185mm projection
- fixed spout
- circular, air-enriched flow
- hole diameter 37 mm
- rosette 60 x 60 mm
- 1/2" connection
- plug-link mounting
- max. flow 7 l/min
- lead-free
- WRAS 1904065

For Touchfree control please order eSet Touchfree
WITH or WITHOUT temperature adjustment

Recommended miscellaneous

Concealed wall elbow -

35 085 970 90




- max. recess depth 163 mm
- min. recess depth 90 mm

SYMETRICS Wall-mounted basin spout without pop-up waste - Chrome

13 800 980

mm [inches]



Flow rate chart




Certificates

LGA_18592.

WRAS_1904065.

SYMETRICS Wall-mounted basin spout without pop-up waste - Chrome

13 800 980



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|---------|---------------|---------------|
| 1 | 09 14 10 053 90 | seal | 1 | 2 |
| 2 | 09 24 04 135 90 | nipple | 1 | 2 |
| 3 | 09 14 10 008 90 | seal | 2 | 2 |
| 4 | 90 11 68 004 00-00 | spout | 1 | 10 |
| 5 | 90 23 01 029 02-00 | aerator | 1 | 10 |