

## VAIA Two-hole bath mixer for free-standing assembly with hand shower set - Brushed Platinum

VAIA

25 943 809 Product version from 3/13/2017 to 5/27/2021



- spout: circular, air-enriched flow
- max. flow 24.6 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- hand shower with anti-scale system
- 221mm projection
- pivotable spout 360°
- rotary diverter for bath/shower
- total height 920 mm
- stand pipes height 628 mm
- height up to aerator 816 mm
- slide-on rosettes Ø 100 mm
- gauge 150 mm
- metal shower hose 1250mm with integrated anti-twist protection
- pivotable shower holder on the right foot
- WRAS
- **Intrinsic protection against back flow.**

Intrinsic protection against back flow.

|  |                                |               |
|--|--------------------------------|---------------|
|  | Brushed Platinum               | 25 943 809-06 |
|  | Chrome                         | 25 943 809-00 |
|  | Platinum                       | 25 943 809-08 |
|  | Dark Chrome                    | 25 943 809-19 |
|  | Brushed Durabronze (23kt Gold) | 25 943 809-28 |
|  | Brushed Bronze                 | 25 943 809-42 |
|  | Brushed Champagne (22kt Gold)  | 25 943 809-46 |
|  | Champagne (22kt Gold)          | 25 943 809-47 |
|  | Brushed Dark Platinum          | 25 943 809-99 |

### Required miscellaneous



#### Concealed floor mounting -

35 944 970 90

- max. recess depth 160 mm
- min. recess depth 80 mm

## VAIA Two-hole bath mixer for free-standing assembly with hand shower set - Brushed Platinum

VAIA

25 943 809 Product version from 3/13/2017 to 5/27/2021  
mm [inches]



Flow rate chart



### Codes & Standards

|                |                           |                                |           |
|----------------|---------------------------|--------------------------------|-----------|
| ASME A112.18.1 | cUPC                      | DIN 4109                       | EN 1717   |
| ISO 3822       | Scottish Water<br>Byelaws | UK Water Supply<br>Regulations | Ü-Zeichen |



## VAIA Two-hole bath mixer for free-standing assembly with hand shower set - Brushed Platinum

VAIA

---

25 943 809 Product version from 3/13/2017 to 5/27/2021

Certificates and sustainability

---

IAPMO\_4976

Belgauqa\_22\_276\_2 LGA\_29

WRAS\_240502

# VAIA Two-hole bath mixer for free-standing assembly with hand shower set - Brushed Platinum

VAIA

25 943 809 Product version from 3/13/2017 to 5/27/2021



# VAIA Two-hole bath mixer for free-standing assembly with hand shower set - Brushed Platinum

VAIA

25 943 809 Product version from 3/13/2017 to 5/27/2021

## Spare parts list

| No.  | Item Number        | Name   | Quantity used | Delivery time |
|--|--------------------|--|---------------|---------------|
| 9  | 04 24 04 189 00-06 | nipple   | 1.00          | 10            |
| 7  | 90 20 80 011 01-06 | handle ( hot )   | 1.00          | 10            |
| 21   | 09 24 03 121-06    | nipple   | 1.00          | 10            |
| 19   | 90 27 80 019 00-06 | rosette  | 2.00          | 10            |
| 23   | 09 21 02 143-06    | sleeve   | 1.00          | 10            |
| 28   | 04 23 10 023 00 90 | fixing set   | 6.00          | 2             |
| 27   | 09 24 03 094-07    | nipple   | 2.00          | 30            |
| 6  | 90 21 10 011 00 90 | diverter   | 1.00          | 2             |
| 11   | 28 019 979-06      | Hand shower - Brushed Platinum                             | 1.00          | -             |
| Spare part can no longer be ordered, please order the replacement item |                    |  |               |               |
| 30   | 09 24 03 081 10 90 | extension  | 4.00          | 2             |
| 22   | 09 23 01 131 90    | back-flow preventer  | 1.00          | 2             |
| 26   | 09 14 10 081 90    | seal   | 2.00          | 2             |
| 20   | 09 23 30 040-07    | nut  | 2.00          | 30            |
| 12   | 90 30 02 072 00-06 | Metal shower hose 1/2" x 3/8" x 1250 mm - Brushed Platinum | 1.00          | 10            |
| 16   | 09 14 10 112 90    | seal   | 4.00          | 2             |
| 2  | 90 90 03 131 00 90 | top  | 1.00          | 2             |
| 29   | 09 30 11 130-07    | connection   | 2.00          | 30            |
| 15   | 09 29 05 021 20 90 | nipple   | 2.00          | 2             |
| 18   | 09 28 10 028-06    | sleeve   | 1.00          | 10            |
| 8  | 90 20 80 015 02-06 | handle   | 1.00          | 10            |
| 3  | 90 28 22 317 00-06 | spout  | 1.00          | 10            |
| 14   | 04 28 10 029 01-06 | holder   | 1.00          | 10            |
| 1  | 90 20 80 010 01-06 | handle ( cold )  | 1.00          | 10            |
| 31   | 09 24 03 080 90    | extension  | 2.00          | 2             |
| 25   | 04 28 22 009 20-06 | connection   | 2.00          | 10            |
| 4  | 09 24 03 273-06    | nipple   | 1.00          | 10            |
| 13   | 90 18 40 035 00 90 | sleeve   | 1.00          | 2             |
| 24   | 90 14 20 026 00 90 | seal   | 1.00          | 2             |
| 17   | 90 14 10 055 00 90 | seal   | 4.00          | 2             |
| 5  | 90 14 10 032 00 90 | seal   | 1.00          | 2             |
| 10   | 90 14 20 002 00 90 | seal   | 1.00          | 2             |