

**LISSÉ Three-hole single-lever bath mixer for bath rim or tile edge installation -
Brushed Light Gold**








LISSÉ

27 412 845



- spout: circular, air-enriched flow
- max. flow 16.9 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- 200mm projection
- automatic bath/shower diverter
- height of mixer 141 mm
- height up to aerator 88 mm
- hole diameter spout 32 mm
- hole diameter single-lever mixer 35 mm
- hole diameter for complete hand shower set 32 mm
- rosette for complete hand shower set Ø 50mm
- metal shower hose 1750mm with integrated anti-twist protection

Intrinsic protection against back flow.

	Brushed Light Gold	27 412 845-27
	Chrome	27 412 845-00
	Brushed Platinum	27 412 845-06
	Dark Chrome	27 412 845-19
	Matte Black	27 412 845-33
	Brushed Chrome	27 412 845-93
	Brushed Dark Platinum	27 412 845-99

Recommended miscellaneous



Perfecto installation kit - 12 614 970 90

Recommended miscellaneous




**Decorative caps for Perfecto -
Brushed Light Gold** 12 801 970-27
● 1 pair


**LISSÉ Three-hole single-lever bath mixer for bath rim or tile edge installation -
Brushed Light Gold**

LISSÉ

27 412 845



Flow rate chart



Codes & Standards

EN 1717



LISSÉ Three-hole single-lever bath mixer for bath rim or tile edge installation -
Brushed Light Gold

LISSÉ

27 412 845

Certificates


Belgaqua_24-008-2

LISSÉ Three-hole single-lever bath mixer for bath rim or tile edge installation -
Brushed Light Gold

LISSÉ

27 412 845

Product version from 4/1/2024





LISSÉ Three-hole single-lever bath mixer for bath rim or tile edge installation -
Brushed Light Gold

LISSÉ

27 412 845

Spare parts list

Product version from 4/1/2024

No.	Item Number	Name	Quantity used	Delivery time
	29 300 845-27	connection	5	-

Spare part can no longer be ordered, please order the replacement item
