

**LISSÉ Three-hole single-lever bath mixer for bath rim or tile edge installation -  
Brushed Chrome**







LISSÉ

27 412 845



- spout: circular, air-enriched flow
- max. flow 16.9 l/min at 3 bar flow pressure
- Hand shower: COMPACT RAIN, max. flow rate 6.8 l/min (at 3 bar)
- complete hand shower set with anti-scale system
- 200mm projection
- automatic bath/shower diverter
- height of mixer 141 mm
- height up to aerator 88 mm
- hole diameter spout 32 mm
- hole diameter single-lever mixer 35 mm
- hole diameter for complete hand shower set 32 mm
- rosette for complete hand shower set Ø 50mm
- metal shower hose 1750mm with integrated anti-twist protection

Intrinsic protection against back flow.

	Brushed Chrome	27 412 845-93
	Chrome	27 412 845-00
	Brushed Platinum	27 412 845-06
	Dark Chrome	27 412 845-19
	Matte Black	27 412 845-33
	Brushed Dark Platinum	27 412 845-99

**Recommended miscellaneous**




**Perfecto installation kit -** 12 614 970 90


**Recommended miscellaneous**



**Decorative caps for Perfecto -  
Brushed Chrome** 12 801 970-93  
• 1 pair



### Flow rate chart




### Certificates

Belgaqua\_19\_80\_27. IAPMO\_4976 (2). LGA\_29731.

Belgaqua\_24-008-27\_4.

27 412 845



### Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	29 300 845-93	connection	1	60
2	13 512 845-93	spout	1	-
Spare part can no longer be ordered, please order the replacement item				
3	27 702 979-93	Hand shower set for bath rim or tile edge installation - Brushed Chrome	1	20
4	90 24 03 168 00 90	nipple	1	2
5	12 502 970 90	High pressure hose 1/2" x 1/2" x 400 mm -	1	2