

Hand shower set - Matte Black

























SERIES SPECIFIC

27 806 625 Product version from 4/1/2024 to 6/3/2020



- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- rosette Ø 55 mm
- metal shower hose 1250mm with integrated anti-twist protection
- shower holder rosette Ø 55mm
- WRAS

Intrinsic protection against back flow.


| | | |
|---|--------------------------------|--------------------|
|  | Matte Black | 27 806 625-33 |
|  | Chrome | 27 806 625-00 |
|  | Chrome | 27 806 625-00 0010 |
|  | Brushed Platinum | 27 806 625-06 |
|  | Brushed Platinum | 27 806 625-06 0010 |
|  | Dark Chrome | 27 806 625-19 |
|  | Dark Chrome | 27 806 625-19 0010 |
|  | Light Gold | 27 806 625-26 0010 |
|  | Light Gold | 27 806 625-26 |
|  | Brushed Light Gold | 27 806 625-27 0010 |
|  | Brushed Light Gold | 27 806 625-27 |
|  | Brushed Durabronze (23kt Gold) | 27 806 625-28 |
|  | Brushed Durabronze (23kt Gold) | 27 806 625-28 0010 |
|  | Matte Black | 27 806 625-33 0010 |
|  | Brushed Bronze | 27 806 625-42 0010 |
|  | Brushed Bronze | 27 806 625-42 |
|  | Brushed Champagne (22kt Gold) | 27 806 625-46 |
|  | Brushed Champagne (22kt Gold) | 27 806 625-46 0010 |
|  | Champagne (22kt Gold) | 27 806 625-47 |
|  | Champagne (22kt Gold) | 27 806 625-47 0010 |
|  | Brushed Chrome | 27 806 625-93 |
|  | Brushed Chrome | 27 806 625-93 0010 |
|  | Brushed Dark Platinum | 27 806 625-99 |
|  | Brushed Dark Platinum | 27 806 625-99 0010 |

Hand shower set - Matte Black

SERIES SPECIFIC

27 806 625 Product version from 4/1/2024 to 6/3/2020

Recommended miscellaneous

| | | |
|---|--|---------------|
|  | Concealed wall elbow - <ul style="list-style-type: none">•max. recess depth 163 mm•min. recess depth 90 mm | 35 085 970 90 |
|---|--|---------------|

Recommended miscellaneous


| | | |
|---|---------------------------------|---------------|
|  | Wall elbow - Matte Black | 28 450 625-33 |
|---|---------------------------------|---------------|

Hand shower set - Matte Black


SERIES SPECIFIC

27 806 625 Product version from 4/1/2024 to 6/3/2020

mm [inches]



Flow rate chart



Codes & Standards

| | | | |
|----------|----------|------------------------|-----------------------------|
| DIN 4109 | ISO 3822 | Scottish Water Byelaws | UK Water Supply Regulations |
|----------|----------|------------------------|-----------------------------|

Ü-Zeichen



Hand shower set - Matte Black

SERIES SPECIFIC

27 806 625 Product version from 4/1/2024 to 6/3/2020

Certificates and sustainability

LGA_29 WRAS_2209



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|-----|--------------------|---|---------------|---------------|
| 3 | 28 050 625-33 | Wall bracket - Matte Black | 1.00 | 10 |
| 2 | 90 30 02 072 00-33 | Metal shower hose 1/2" x 3/8" x 1250 mm - Matte Black | 1.00 | 30 |
| 1 | 90 12 11 140 40-33 | shower | 1.00 | 30 |