

MADISON Shower head FlowReduce - Brushed Dark Brass

MADISON















28 508 360 Product version from 7/1/2025



- spray head Ø 94mm
- Three settings: COMPACT RAIN, COMPACT SOFT FLOW, COMPACT AQUAPRESSURE FLOW, max. flow rate 7.6 l/min (at 3 bar)
- Function from: l/min
- with anti-scale system

Technical data:

- 200mm projection
- ball-joint pivotable through 30°
- rosette Ø 55 mm
- 1/2" connection

| | | |
|---|-------------------------------|--------------------|
|  | Brushed Dark Brass | 28 508 360-39 0010 |
|  | Chrome | 28 508 360-00 0010 |
|  | Chrome | 28 508 360-00 |
|  | Brushed Platinum | 28 508 360-06 0010 |
|  | Brushed Platinum | 28 508 360-06 |
|  | Platinum | 28 508 360-08 0010 |
|  | Platinum | 28 508 360-08 |
|  | Durabrand (23kt Gold) | 28 508 360-09 0010 |
|  | Durabrand (23kt Gold) | 28 508 360-09 |
|  | Brushed Durabrand (23kt Gold) | 28 508 360-28 0010 |
|  | Brushed Durabrand (23kt Gold) | 28 508 360-28 |
|  | Brushed Dark Brass | 28 508 360-39 |
|  | Brushed Dark Platinum | 28 508 360-99 0010 |
|  | Brushed Dark Platinum | 28 508 360-99 |

mm [inches]



Codes & Standards

DIN 4109

ISO 3822

Ü-Zeichen

Certificates and sustainability

LGA_38

Parts for other
finishes can be found
here: [Chrome](#)



Spare parts list

| No. | Item Number | Name | Quantity used | Delivery time |
|--|--------------------|------------|---------------|---------------|
| 2 | 90 14 10 026 00 90 | seal | 1.00 | 2 |
| 3 | 09 11 03 011-39 | connection | 1.00 | 60 |
| 1 | 09 27 35 003-39 | rosette | 1.00 | - |
| Spare part can no longer be ordered, please order the replacement item | | | | |
| 4 | 04 12 11 120 01-39 | shower | 1.00 | - |
| Spare part can no longer be ordered, please order the replacement item | | | | |