

META Single-lever shower mixer for wall mounting - Light Gold

META

33 300 660

Product version from 7/1/2023



- 3/8" shower outlet
 - slide-on rosettes Ø 60 mm
 - 1/2" connection
 - gauge 150 mm - 15 mm
 - WRAS

Intrinsic protection against back flow.

Intrinsic protection against back flow.

	Light Gold	33 300 660-26
	Chrome	33 300 660-00
	Brushed Platinum	33 300 660-06
	Dark Chrome	33 300 660-19
	Brushed Light Gold	33 300 660-27
	Matte Black	33 300 660-33
	Brushed Dark Brass	33 300 660-39
	Brushed Bronze	33 300 660-42
	Brushed Champagne (22kt Gold)	33 300 660-46
	Champagne (22kt Gold)	33 300 660-47
	Brushed Chrome	33 300 660-93
	Brushed Dark Platinum	33 300 660-99

Required miscellaneous



Single holder for 16 mm AluPEX pipes -

•for 16 mm AluPEX pipes

29 021 970 90

33 300 660 Product version from 7/1/2023

mm [inches]



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Ü-Zeichen



META Single-lever shower mixer for wall mounting - Light Gold

META

33 300 660 Product version from 7/1/2023

Certificates and sustainability

LGA_29

