

SYNC Profi single-lever mixer - Dark Chrome

SYNC

33 865 895




- 200mm projection
 - Flexible silicone hose with large operating range of up to 350 mm
 - pivotable spout 360°
 - Optional swivel limiter available with swivel limiter set 12 821 970 90
 - This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
 - air-enriched flow and spray flow
 - height of mixer 451 mm
 - height up to aerator 119 mm
 - hole diameter 35 mm
 - sprayface with anti-scaling system
 - max. flow 9.5 l/min at 3 bar flow pressure
 - lead-free


Intrinsic protection against back flow.

	Dark Chrome	33 865 895-19
	Chrome	33 865 895-00
	Brushed Platinum	33 865 895-06
	Platinum	33 865 895-08
	Durabrass (23kt Gold)	33 865 895-09
	Brushed Durabrass (23kt Gold)	33 865 895-28
	Matte Black	33 865 895-33
	Brushed Bronze	33 865 895-42
	Brushed Champagne (22kt Gold)	33 865 895-46
	Champagne (22kt Gold)	33 865 895-47
	Brushed Chrome	33 865 895-93
	Brushed Dark Platinum	33 865 895-99


Recommended miscellaneous

	Swivel limitation set -	12 821 970 90
---	-------------------------	---------------

Recommended miscellaneous

	Strainer waste with control handle - Dark Chrome	10 712 970-19
---	--	---------------

Recommended miscellaneous

	Dispenser without rosette - Dark Chrome	82 424 970-19
---	---	---------------

33 865 895



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Ü-Zeichen



SYNC Profi single-lever mixer - Dark Chrome

SYNC

33 865 895

Certificates and sustainability

LGA_29

33 865 895

