

33 870 790 Product version from 12/31/2013 to 5/15/2020



- 235mm projection
- pivotable spout 360°
- air-enriched flow and spray flow
- height of mixer 342 mm
- height up to aerator 292 mm
- hole diameter 35 mm
- fabric braided hose 1500 mm
- max. flow 8 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB


Intrinsic protection against back flow.

Recommended miscellaneous


**Strainer waste with control handle 10 712 970-06
- Brushed Platinum**



33 870 790 Product version from 12/31/2013 to 5/15/2020



Flow rate chart



Codes & Standards

DIN 4109

EN 1717

Executive Order
no. 1007

ISO 3822

Ü-Zeichen



ELIO Single-lever mixer Pull-out with spray function - Brushed Platinum

ELIO


33 870 790 Product version from 12/31/2013 to 5/15/2020

Certificates and sustainability

LGA_18

Belgaqua_21-379-2 GDV_0400

33 870 790 Product version from 12/31/2013 to 5/15/2020



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
	12 04 23 10 044 02 90	fixing set	1.00	2
	15 04 21 50 005 00 90	accessories	1.00	2
	14 04 30 04 029 00 90	hose	1.00	2
	2 09 23 01 039 90	sieve	1.00	2
	16 09 23 01 131 90	back-flow preventer	1.00	2
	6 90 15 05 061 00 90	cartridge	1.00	60
	13 04 30 04 104 00 90	hose	2.00	2
	9 09 20 79 040-06	handle	1.00	10
	5 09 30 30 054 90	screw	1.00	2
	4 90 28 22 186 00-06	spout	1.00	10
	8 09 24 04 141-06	nut	1.00	10
	7 90 28 10 148 00 90	accessories	1.00	2
	11 90 31 20 109 00 90	plug	1.00	2
	10 90 31 11 030 00 90	pin	1.00	2
	17 90 14 20 019 00 90	seal	1.00	2
	1 90 12 11 098 00-06	shower	1.00	10
	3 90 30 02 062 00-06	hose	1.00	10