

SYNC Single-lever mixer Pull-down with spray function - Brushed Dark Platinum

SYNC

33 875 895



- 240mm projection
- pivotable spout 360°
- Optional swivel limiter available with swivel limiter set 12 821 970 90
- laminar and spray flow
- height of mixer 420 mm
- height up to laminar flow regulator 240 mm
- hole diameter 35 mm
- 1800 mm metal shower hose
- sprayface with anti-scaling system
- max. flow 10.4 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Intrinsic protection against back flow.

	Brushed Dark Platinum	33 875 895-99
	Chrome	33 875 895-00
	Brushed Platinum	33 875 895-06
	Platinum	33 875 895-08
	Durabronze (23kt Gold)	33 875 895-09
	Dark Chrome	33 875 895-19
	Brushed Durabronze (23kt Gold)	33 875 895-28
	Matte Black	33 875 895-33
	Brushed Champagne (22kt Gold)	33 875 895-46
	Champagne (22kt Gold)	33 875 895-47
	Brushed Chrome	33 875 895-93

Recommended miscellaneous

Swivel limitation set - 12 821 970 90



Recommended miscellaneous

Dispenser without rosette - Brushed Dark Platinum 82 424 970-99




Recommended miscellaneous

Strainer waste with control handle - Brushed Dark Platinum 10 712 970-99



33 875 895



Flow rate chart



Certificates

Belgaqua_21-027- 27_3. LGA_28658. GDV_0400314.

33 875 895



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 12 11 148 00-99	shower	1	30
2	04 30 02 120 00-85	hose	1	30
3	90 28 22 301 00-99	spout	1	30
4	09 28 10 160 90	ring	1	2
5	09 28 10 162 90	ring	1	2
6	09 28 10 161 90	ring	1	2
7	90 15 05 064 02 90	cartridge	1	2
8	09 14 10 190 90	seal	1	2
9	09 28 30 030-99	cover	1	30
10	09 20 89 020-99	handle	1	30
11	90 31 11 063 00 90	pin	1	2
12	90 31 20 087 00-99	plug	1	30
13	04 30 04 101 00 90	hose	1	2
14	04 28 20 067 00 90	pipe	1	2
15	09 14 10 036 90	seal	1	2
16	04 30 11 040 00 90	fixing set	2	2
17	09 20 93 056 90	insert	1	2
18	90 24 03 253 00 90	adaptor	1	2
19	09 30 03 038 90	hose	1	2
20	04 21 50 010 00 90	accessories	1	2
21	90 30 09 031 00 90	key	1	2