

**TARA Shower pipe with shower thermostat without hand shower 300 mm -
Brushed Durabronze (23kt Gold)**

TARA

34 460 892



- shower with fixed riser projection 452mm
- overhead shower: rain flow
- rain shower Ø 300 mm
- rain shower with anti-scale system
- max. rainshower flow 14 l/min
- Function from: 10 l/min
- rotary diverter with volume control and shut-off function
- slide-on rosettes Ø 70 mm
- height of fittings up to rain shower (bottom edge) 964mm
- height of fittings up to top edge of elbow 1267mm
- gauge 150 mm - 13 mm
- metal shower hose 1750mm with integrated anti-twist protection
- 1/2" connection
- slide bar
- Pipe diameter 23.5 mm


This article does not include a hand shower!
Intrinsic protection against back flow.

	Brushed Durabronze (23kt Gold)	34 460 892-28
	Chrome	34 460 892-00
	Brushed Platinum	34 460 892-06
	Platinum	34 460 892-08
	Dark Chrome	34 460 892-19
	Matte Black	34 460 892-33
	Brushed Bronze	34 460 892-42
	Brushed Champagne (22kt Gold)	34 460 892-46
	Champagne (22kt Gold)	34 460 892-47
	Brushed Chrome	34 460 892-93
	Brushed Dark Platinum	34 460 892-99

**TARA Shower pipe with shower thermostat without hand shower 300 mm -
Brushed Durabross (23kt Gold)**

TARA

34 460 892
mm [inches]
1:10



Flow rate chart



Codes & Standards

EN 1717



TARA Shower pipe with shower thermostat without hand shower 300 mm -
Brushed Durabronz (23kt Gold)

TARA

34 460 892

Certificates

Belgaqua_24-006-2


TARA Shower pipe with shower thermostat without hand shower 300 mm -
Brushed Durabronze (23kt Gold)

TARA

34 460 892

Product version from 4/1/2024

Parts for other
finishes can be found
here: [Chrome](#)





TARA Shower pipe with shower thermostat without hand shower 300 mm -
Brushed Durabrass (23kt Gold)

TARA

34 460 892

Spare parts list

Product version from 4/1/2024

No.	Item Number	Name	Quantity used	Delivery time
	04 12 05 091 00-28	shower	11	20