

# Concealed ceiling installation box for surface-mounted ceiling installation with light - SERIES-VARIOUS

---

35 042 970 90 Product version from 4/1/2022



- concealed rough parts
- 2x female thread 1/2" connections

## Separate LED power supply

### Input LED power supply

- Input 100-240V AC 50-60Hz

### Output LED power supply

- 350mA (CC)

### Output specification LED power supply

- SELV (Safety Extra Low Voltage)
- Class 2

### Ceiling module power supply

- 350mA (CC)
- Supply pipe 7 m
- Provided by customer: Light switch

### Environment

- Not suitable for outdoor use.
- Not suitable for use in a steam room.
- Not suitable for use in chlorinated or salty environments.
- Comply with the protection zone regulations as defined in DIN VDE 0100, Part 701 (IEC 60364-7-701).
- WRAS

Pre-assembly kit for three-way diverter included

## Recommended miscellaneous

---

### Leak protection 1/2" -


12 010 970 90

- This article is needed 2x.



## Concealed ceiling installation box for surface-mounted ceiling installation with light - SERIES-VARIOUS

35 042 970 90 Product version from 4/1/2022  
mm [inches]



### Codes & Standards

Scottish Water  
Byelaws

UK Water Supply  
Regulations


### Certificates and sustainability

WRAS\_240502

Concealed ceiling installation box for surface-mounted ceiling installation with light -

SERIES-VARIOUS

35 042 970 90
Product version from 4/1/2022



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 10 01 227 00 90	electronic accessories	1.00	2
2	90 10 01 257 00 90	electronic accessories	1.00	2
3	90 30 30 208 00 90	screw	1.00	2
4	90 17 20 239 00 90	flange	1.00	2