


Concealed two-way diverter -

35 124 970 90



- red brass, lead-free
- 2x female thread 1/2" connections
- 2x female thread 1/2" outlet
- cut-to-length spindle and sleeve
- dust cover
- anti-water packing
- soundproofing
- WRAS 1609056

Recommended miscellaneous

Leak protection 1/2" -


12 010 970 90



Concealed two-way diverter -


35 124 970 90

mm [inches]



	min.	max.
Domicil	60	105
Source	73	123
Square	73	123
Madison	73	138
LULU	73	146
Madison Flair	73	148
Just	78	148
LaFleur	83	148
Supernova	83	148
Tara	83	148
Vaia	83	148
MEM	108	148
CL,1	108	148

Flow rate chart




Certificates

LGA_28456.

Concealed two-way diverter -

35 124 970 90



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	09 31 11 151 90	pin	1	2
2	90 30 11 085 00 90	set	1	2
3	09 29 06 025 90	spindle	1	2
4	09 21 02 124 90	lid	1	2
5	09 21 02 125 90	cap	1	2
6	09 14 03 109 90	seal	1	2
7	90 18 40 077 00 90	spindle	1	2
8	04 29 06 105 00 90	spindle	1	60
9	09 16 01 026 90	ring	1	2
10	90 12 12 002 00 90	fixing cap	2	2
11	90 18 40 077 01 90	spindle	1	2