



Concealed wall-mounted mixer variable positioning -

35 720 970 90 Product version from 4/1/2022



- red brass, lead-free
- 1/2" connection
- 3x sealing plug 1/2"
- 3x dust cover
- WRAS

Recommended miscellaneous

Leak protection 1/2" -

12 010 970 90


- This article is needed 2x.



Concealed wall-mounted mixer variable positioning -

35 720 970 90 Product version from 4/1/2022

mm [inches]



		min.	max.
36xxx361-FF	Madison	85 mm[3 3/8"]	145 mm[5 5/8"]
36xxx809/819-FF	Vaia	85 mm[3 3/8"]	145 mm[5 5/8"]
36xxx882/892-FF	Tara	85 mm[3 3/8"]	145 mm[5 5/8"]
36xxx811-FF	CYO	85 mm[3 3/8"]	145 mm[5 5/8"]
36xxx705-FF	CL.1	110 mm[4 3/8"]	150 mm[5 7/8"]
36xxx782-FF	MEM	110 mm[4 3/8"]	150 mm[5 7/8"]

Codes & Standards

Scottish Water
Byelaws


UK Water Supply
Regulations

Certificates

WRAS_2211

Concealed wall-mounted mixer variable positioning -

35 720 970 90 Product version from 4/1/2022



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	04 30 31 024 01 90	fixing set	6	2
2	09 23 10 023 90	nut	6	2
3	09 30 11 139 90	disc	12	2
4	09 17 20 104 90	holder	3	2
5	09 30 11 137 90	disc	3	60
6	09 30 30 068 90	screw	6	2
7	04 31 20 037 00 90	plug	1	2
8	04 21 02 173 01 90	cap	3	2
9	04 14 03 072 01 90	gasket kit	3	2
10	04 31 20 006 00 90	plug	2	2