

Concealed single-lever mixer with cover plate - Platinum

SERIES SPECIFIC

36 060 670

Product version from 6/1/2024



- cover plate 80 x 80 mm
- WRAS

|   |                               |               |
|---|-------------------------------|---------------|
|    | Platinum                      | 36 060 670-08 |
|    | Chrome                        | 36 060 670-00 |
|    | Brushed Platinum              | 36 060 670-06 |
|    | Dark Chrome                   | 36 060 670-19 |
|    | Brushed Light Gold            | 36 060 670-27 |
|    | Brushed Durabrass (23kt Gold) | 36 060 670-28 |
|    | Matte Black                   | 36 060 670-33 |
|    | Brushed Champagne (22kt Gold) | 36 060 670-46 |
|    | Champagne (22kt Gold)         | 36 060 670-47 |
|   | Brushed Chrome                | 36 060 670-93 |
|  | Brushed Dark Platinum         | 36 060 670-99 |

Required miscellaneous




- Concealed wall-mounted single-lever mixer -

35 860 970 90

  - max. recess depth 95 mm
  - min. recess depth 80 mm

36 060 670 Product version from 6/1/2024

mm [inches]



**Flow rate chart**



**Codes & Standards**

DIN 4109

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



Concealed single-lever mixer with cover plate - Platinum

SERIES SPECIFIC

36 060 670 Product version from 6/1/2024

Certificates and sustainability

WRAS\_2107 LGA\_29



## Spare parts list

| No. | Item Number        | Name      | Quantity used | Delivery time |
|-----|--------------------|-----------|---------------|---------------|
| 2   | 09 24 04 105 90    | nut       | 1.00          | 2             |
| 8   | 09 20 67 004-08    | handle    | 1.00          | 40            |
| 4   | 09 27 78 048-08    | rosette   | 1.00          | 40            |
| 1   | 90 15 05 064 01 90 | cartridge | 1.00          | 2             |
| 6   | 90 31 20 087 00-08 | plug      | 1.00          | 40            |
| 5   | 09 11 02 530-08    | cover     | 1.00          | 40            |
| 3   | 90 14 10 049 00 90 | seal      | 1.00          | 2             |
| 9   | 90 30 09 064 00 90 | key       | 1.00          | 2             |
| 7   | 90 31 11 112 00 90 | pin       | 1.00          | 2             |