

IMO

36 112 970



• shower with fixed riser projection 450mm

- · overhead shower: rain flow
- rain shower Ø 220 mm
- rain shower with anti-scale system
- max. rainshower flow 14 l/min
- height of fittings up to rain shower (bottom edge) 1010mm
- height of fittings up to top edge of elbow 1150mm
- metal shower hose 1750mm with integrated antitwist protection
 • 1/2" connection
- Fits: IMO, LULU, TARA, LISSÉ, VAIA, META
- - Pipe diameter 23.5 mm
 - automatic diverter for fixed-riser shower/hand shower
 - · quick clearing
 - WRAS 2101043

This article does not include a hand shower! Intrinsic protection against back flow.

This article does not include a hand shower! Intrinsic protection against back flow.

Brushed Light Gold	36 112 970-27
Chrome	36 112 970-00
Brushed Platinum	36 112 970-06
Platinum	36 112 970-08
Dark Chrome	36 112 970-19
Brushed Durabrass (23kt Gold)	36 112 970-28
Matte Black	36 112 970-33
Brushed Bronze	36 112 970-42
Brushed Champagne (22kt Gold)	36 112 970-46
Champagne (22kt Gold)	36 112 970-47
Brushed Chrome	36 112 970-93
Brushed Dark Platinum	36 112 970-99

Required miscellaneous



Concealed wall mounting -

•min. recess depth 80 mm •max. recess depth 105 mm 35 050 970 90

Required miscellaneous

Hand shower FlowReduce -**Brushed Light Gold**

28 018 979-27 0010

Required miscellaneous





Required miscellaneous


Hand shower - Brushed Light Gold 28 012 979-27

Required miscellaneous





Required miscellaneous



28 016 979-27 0010

Required miscellaneous



Hand shower FlowReduce -**Brushed Light Gold**


28 012 979-27 0010

Required miscellaneous


Hand shower - Brushed Light Gold 28 017 979-27







Flow rate chart



Codes & Standards

DIN 4109 ISO 3822 Ü-Zeichen



IMO

36 112 970 Certificates


LGA_38





36 112 970

Product version from 4/1/2024





IMO

36 112 970

Spare parts list

Product version from 4/1/2024

No.	Item Number	Name	Quantity used	Delivery time
	04 12 05 092 00-27	shower	9	60