

**Concealed two-way diverter - Brushed Durabronze (23kt Gold)**

36 200 740



- rotary diverter
- without rosette
- handle Ø 60mm
- WRAS

	Brushed Durabronze (23kt Gold)	36 200 740-28
	Chrome	36 200 740-00
	Brushed Platinum	36 200 740-06
	Light Gold	36 200 740-26
	Brushed Light Gold	36 200 740-27
	Matte Black	36 200 740-33
	Brushed Bronze	36 200 740-42
	Brushed Champagne (22kt Gold)	36 200 740-46
	Champagne (22kt Gold)	36 200 740-47
	Brushed Dark Platinum	36 200 740-99

**Required miscellaneous**




- Concealed two-way diverter - 35 202 970 90**
- max. recess depth mm
  - min. recess depth mm

## Concealed two-way diverter - Brushed Durabron (23kt Gold)

---


36 200 740

mm [inches]



### Flow rate chart

---



### Codes & Standards

---

DIN 4109

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen



## Concealed two-way diverter - Brushed Durabronz (23kt Gold)

---

36 200 740

### Certificates

---

LGA\_38

WRAS\_2307

Concealed two-way diverter - Brushed Durabronze (23kt Gold)

---

36 200 740

