

## Concealed thermostat with one function volume control - Brushed Dark Brass SERIES SPECIFIC

36 425 670 Product version from 6/30/2022




- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset
- WRAS

|   |                                |               |
|---|--------------------------------|---------------|
|    | Brushed Dark Brass             | 36 425 670-39 |
|    | Chrome                         | 36 425 670-00 |
|    | Brushed Platinum               | 36 425 670-06 |
|    | Platinum                       | 36 425 670-08 |
|    | Dark Chrome                    | 36 425 670-19 |
|    | Brushed Light Gold             | 36 425 670-27 |
|    | Brushed Durabronze (23kt Gold) | 36 425 670-28 |
|    | Matte Black                    | 36 425 670-33 |
|   | Brushed Champagne (22kt Gold)  | 36 425 670-46 |
|  | Champagne (22kt Gold)          | 36 425 670-47 |
|  | Brushed Chrome                 | 36 425 670-93 |
|  | Brushed Dark Platinum          | 36 425 670-99 |


## Concealed thermostat with one function volume control - Brushed Dark Brass SERIES SPECIFIC

36 425 670 Product version from 6/30/2022

mm [inches]



Flow rate chart



### Codes & Standards

DIN 4109

EN 1111

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

Ü-Zeichen

VA-Zeichen



Concealed thermostat with one function volume control - Brushed Dark Brass

SERIES SPECIFIC

36 425 670    Product version from 6/30/2022

Certificates and sustainability

|        |        |                 |        |             |
|--------|--------|-----------------|--------|-------------|
| LGA_19 | ETA_20 | DVGW_DW-6512DN0 | LGA_19 | WRAS_250402 |
|--------|--------|-----------------|--------|-------------|

## Concealed thermostat with one function volume control - Brushed Dark Brass SERIES SPECIFIC

36 425 670 Product version from 6/30/2022

Parts for other  
finishes can be found  
here: [Chrome](#)

