

## Concealed thermostat with two function volume control - Champagne (22kt Gold)

SERIES SPECIFIC

36 426 670 Product version up to 5/15/2020



- rotary diverter with volume control and shut-off function
- cover plate 150 x 90 mm
- temperature control handle with safety limit stop at 38°C
- hot water temperature limiter, can be preset
- WRAS

|  |                                |               |
|--|--------------------------------|---------------|
|  | Champagne (22kt Gold)          | 36 426 670-47 |
|  | Chrome                         | 36 426 670-00 |
|  | Brushed Platinum               | 36 426 670-06 |
|  | Platinum                       | 36 426 670-08 |
|  | Dark Chrome                    | 36 426 670-19 |
|  | Brushed Light Gold             | 36 426 670-27 |
|  | Brushed Durabronze (23kt Gold) | 36 426 670-28 |
|  | Matte Black                    | 36 426 670-33 |
|  | Brushed Champagne (22kt Gold)  | 36 426 670-46 |
|  | Brushed Chrome                 | 36 426 670-93 |
|  | Brushed Dark Platinum          | 36 426 670-99 |

### Required miscellaneous



**Concealed thermostat with built-in isolators -** 35 426 970 90

- max. recess depth 136 mm
- min. recess depth 80 mm

### Recommended miscellaneous



**xGRID Attachment set for integrating in the dry wall construction -** 12 340 970 90

### Required miscellaneous



**Concealed thermostat -** 35 425 970 90

- max. recess depth 136 mm
- min. recess depth 80 mm

### Required miscellaneous




**xGRID Installation track 555 mm -** 12 360 970 90


## Concealed thermostat with two function volume control - Champagne (22kt Gold)

SERIES SPECIFIC

36 426 670 Product version up to 5/15/2020  
mm [inches]



### Flow rate chart



### Codes & Standards

|                             |           |            |                        |
|-----------------------------|-----------|------------|------------------------|
| DIN 4109                    | EN 1111   | ISO 3822   | Scottish Water Byelaws |
| UK Water Supply Regulations | Ü-Zeichen | VA-Zeichen | XP P 41-280            |



Concealed thermostat with two function volume control - Champagne (22kt Gold)

SERIES SPECIFIC

36 426 670    Product version up to 5/15/2020

Certificates and sustainability

|               |        |        |                 |        |
|---------------|--------|--------|-----------------|--------|
| ACS_20 ACC LY | LGA_19 | ETA_20 | DVGW_DW-6512DN0 | LGA_19 |
| WRAS_250402   |        |        |                 |        |

# Concealed thermostat with two function volume control - Champagne (22kt Gold)

SERIES SPECIFIC

36 426 670 Product version up to 5/15/2020





## Concealed thermostat with two function volume control - Champagne (22kt Gold)

SERIES SPECIFIC

36 426 670 Product version up to 5/15/2020

### Spare parts list

| No. | Item Number        | Name       | Quantity used | Delivery time |
|-----|--------------------|------------|---------------|---------------|
| 1   | 90 90 03 163 00 90 | diverter   | 1.00          | 2             |
| 27  | 09 28 10 188 90    | regulator  | 1.00          | 2             |
| 9   | 90 16 02 027 00 90 | spring     | 1.00          | 2             |
| 26  | 90 15 02 013 00 90 | cartridge  | 1.00          | 2             |
| 5   | 90 12 12 002 00 90 | fixing cap | 1.00          | 2             |
| 17  | 09 12 12 051-47    | base       | 1.00          | 30            |
| 21  | 09 30 01 296 90    | disc       | 1.00          | 2             |
| 15  | 09 28 10 187 90    | regulator  | 1.00          | 2             |
| 19  | 09 11 02 233-47    | plate      | 1.00          | 60            |
| 18  | 09 31 11 134 90    | pin        | 1.00          | 2             |
| 22  | 90 30 01 190 00 90 | disc       | 1.00          | 2             |
| 25  | 09 24 04 257 90    | nut        | 2.00          | 2             |
| 20  | 09 30 30 157 90    | screw      | 4.00          | 2             |
| 2   | 09 12 12 053-47    | base       | 1.00          | 30            |
| 14  | 09 12 12 054 90    | base       | 1.00          | 2             |
| 28  | 09 28 10 189 90    | regulator  | 1.00          | 2             |
| 7   | 90 17 33 004 00-47 | handle     | 1.00          | 30            |
| 6   | 09 20 67 006-47    | handle     | 1.00          | 30            |
| 13  | 90 12 12 052 00 90 | base       | 1.00          | 2             |
| 10  | 90 30 30 136 00 90 | screw      | 1.00          | 2             |
| 4   | 90 23 30 023 00 90 | nut        | 2.00          | 2             |
| 24  | 90 18 40 077 01 90 | spindle    | 2.00          | 2             |
| 16  | 04 29 06 024 01-00 | spindle    | 1.00          | 10            |
| 11  | 90 31 20 049 00-13 | plug       | 1.00          | 30            |
| 12  | 90 30 30 124 00 90 | screw      | 1.00          | 2             |
| 3   | 04 29 06 111 01-00 | spindle    | 1.00          | 10            |
| 23  | 90 23 01 124 00 90 | sleeve     | 2.00          | 2             |
| 8   | 90 21 33 011 00-13 | handle     | 1.00          | 2             |