



- HORIZONTAL RAIN, max. flow rate 6 l/min (at 3 bar)
- Function from: l/min
- with anti-scale system















**Technical data:**


- cover plate 120 x 120 mm
- 1/2" connection

**Notes:**

- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Flow restrictor (8.3 l/min) to extend shower jet from approx. 500 mm to approx. 1000 mm


|   |                               |               |
|---|-------------------------------|---------------|
|    | Brushed Dark Brass            | 36 515 979-39 |
|    | Chrome                        | 36 515 979-00 |
|    | Brushed Platinum              | 36 515 979-06 |
|    | Platinum                      | 36 515 979-08 |
|    | Dark Chrome                   | 36 515 979-19 |
|    | Light Gold                    | 36 515 979-26 |
|    | Brushed Light Gold            | 36 515 979-27 |
|    | Brushed Durabrass (23kt Gold) | 36 515 979-28 |
|   | Matte Black                   | 36 515 979-33 |
|  | Brushed Bronze                | 36 515 979-42 |
|  | Brushed Champagne (22kt Gold) | 36 515 979-46 |
|  | Champagne (22kt Gold)         | 36 515 979-47 |
|  | Brushed Chrome                | 36 515 979-93 |
|  | Brushed Dark Platinum         | 36 515 979-99 |



Flow rate chart



Trajectory diagram



Codes & Standards

DIN 4109                      ISO 3822                      Ü-Zeichen



## WATER POINTS Concealed body spray FlowReduce - Brushed Dark Brass


SERIES-VARIOUS

36 515 979 Product version from 4/1/2024

Certificates and sustainability

LGA\_18

Parts for other  
finishes can be found  
here: [Chrome](#)



## Spare parts list

| No. | Item Number          | Name         | Quantity used | Delivery time |
|-----|----------------------|--------------|---------------|---------------|
|     | 10 09 17 11 146 90   | distributor  | 1.00          | 60            |
|     | 2 09 30 31 022 90    | screw        | 4.00          | 2             |
|     | 17 09 23 01 052 90   | flow reducer | 1.00          | 2             |
|     | 4 09 30 11 024 90    | disc         | 8.00          | 2             |
|     | 15 09 27 98 004-39   | rosette      | 1.00          | 60            |
|     | 12 09 29 30 043 90   | insert       | 1.00          | 2             |
|     | 14 09 14 03 117 90   | seal         | 1.00          | 2             |
|     | 7 90 23 01 032 00 90 | flow reducer | 1.00          | 2             |
|     | 1 09 28 01 024 90    | holder       | 1.00          | 2             |
|     | 5 09 12 12 205 90    | base         | 1.00          | 2             |
|     | 11 09 17 97 057 90   | holder       | 1.00          | 2             |
|     | 3 09 30 30 031 90    | screw        | 8.00          | 2             |
|     | 6 09 16 01 016 90    | ring         | 1.00          | 2             |
|     | 16 09 31 11 048 90   | pin          | 1.00          | 2             |
|     | 8 09 14 10 130 90    | seal         | 1.00          | 2             |
|     | 9 09 16 01 017 90    | ring         | 1.00          | 2             |
|     | 13 09 12 01 075 90   | insert       | 1.00          | 2             |