














TARA Wall-mounted basin mixer without pop-up waste - Brushed Dark Platinum


TARA

36 707 882	Product version from 4/1/2024		
	<ul style="list-style-type: none"> • 160mm projection • fixed spout • circular, air-enriched flow • hole diameter valve 40 mm • hole diameter spout 40 mm • rosette Ø 55 mm • max. flow 7 l/min • lead-free • WRAS • This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB 	<div>  <div>Brushed Dark Platinum</div> </div> <div>36 707 882-99</div>	
		<div>  <div>Chrome</div> </div> <div>36 707 882-00</div>	
		<div>  <div>Brushed Platinum</div> </div> <div>36 707 882-06</div>	
		<div>  <div>Platinum</div> </div> <div>36 707 882-08</div>	
		<div>  <div>Dark Chrome</div> </div> <div>36 707 882-19</div>	
		<div>  <div>Brushed Durabrass (23kt Gold)</div> </div> <div>36 707 882-28</div>	
		<div>  <div>Matte Black</div> </div> <div>36 707 882-33</div>	
		<div>  <div>Brushed Bronze</div> </div> <div>36 707 882-42</div>	
		<div>  <div>Brushed Champagne (22kt Gold)</div> </div> <div>36 707 882-46</div>	
		<div>  <div>Champagne (22kt Gold)</div> </div> <div>36 707 882-47</div>	
		<div>  <div>Brushed Chrome</div> </div> <div>36 707 882-93</div>	

Required miscellaneous

	Concealed wall-mounted mixer centred spout - <ul style="list-style-type: none"> • max. recess depth 145 mm • min. recess depth 85 mm 	35 700 970 90
---	---	---------------


Required miscellaneous

	Concealed wall-mounted mixer variable positioning - <ul style="list-style-type: none"> • min. recess depth 85 mm • max. recess depth 145 mm 	35 720 970 90
---	--	---------------

TARA Wall-mounted basin mixer without pop-up waste - Brushed Dark Platinum

TARA

36 707 882 Product version from 4/1/2024
mm [inches]



Flow rate chart



Codes & Standards

DIN 4109	EN 200	ISO 3822	Scottish Water Byelaws
UK Water Supply Regulations	Ü-Zeichen	VA-Zeichen	XP P 41-280




TARA Wall-mounted basin mixer without pop-up waste - Brushed Dark Platinum

TARA

36 707 882 Product version from 4/1/2024

Certificates and sustainability

WRAS_2107 LGA_18 ACS_20 ACC LY ETA_19



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
2	36 310 882-99	connection	2.00	20
6	04 28 22 089 10-99	spout	1.00	20
1	90 90 03 156 00 90	top	1.00	2
3	09 24 03 081 10 90	extension	1.00	2
8	90 90 03 157 00 90	top	1.00	2
7	90 23 01 019 00-99	aerator	1.00	20
5	09 27 22 503-99	rosette	1.00	20
4	90 14 10 026 00 90	seal	1.00	2