







## MEM Wall-mounted basin mixer without pop-up waste - Brushed Platinum

MEM

36 717 782 Product version from 3/10/2014 to 10/27/2020



- 240mm projection
- fixed spout
- rectangular, air-enriched flow
- hole diameter valve 40 mm
- hole diameter spout 40 mm
- individual rosette 60 x 60 mm
- max. flow 5.7 l/min
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB
- WRAS

|   |                                |               |
|---|--------------------------------|---------------|
|  | Brushed Platinum               | 36 717 782-06 |
|  | Chrome                         | 36 717 782-00 |
|  | Platinum                       | 36 717 782-08 |
|  | Dark Chrome                    | 36 717 782-19 |
|  | Brushed Durabronze (23kt Gold) | 36 717 782-28 |
|  | Brushed Champagne (22kt Gold)  | 36 717 782-46 |
|  | Champagne (22kt Gold)          | 36 717 782-47 |
|  | Brushed Dark Platinum          | 36 717 782-99 |

### Required miscellaneous



- Concealed wall-mounted mixer centred spout -** 35 700 970 90
- max. recess depth 150 mm
  - min. recess depth 110 mm


### Required miscellaneous




- Concealed wall-mounted mixer variable positioning -** 35 720 970 90
- min. recess depth 110 mm
  - max. recess depth 150 mm

36 717 782 Product version from 3/10/2014 to 10/27/2020

mm [inches]



Flow rate chart



### Codes & Standards

|                             |           |            |                        |
|-----------------------------|-----------|------------|------------------------|
| DIN 4109                    | EN 200    | ISO 3822   | Scottish Water Byelaws |
| UK Water Supply Regulations | Ü-Zeichen | VA-Zeichen |                        |



MEM Wall-mounted basin mixer without pop-up waste - Brushed Platinum

MEM

36 717 782    Product version from 3/10/2014 to 10/27/2020

Certificates and sustainability

LGA\_18                      WRAS\_2204                      ETA\_19

