










28 450 625    Produktversion bis 06.07.2018



- Brauseabgang 3/8"
  - Rosette Ø 55 mm
  - Anschluss 1/2"
- Eigensicher gegen Rückfließen.


	Dark Platinum gebürstet	28 450 625-99
	Chrom	28 450 625-00
	chrom gebürstet (04)	28 450 625-04
	Platin gebürstet	28 450 625-06
	Platin	28 450 625-08
	Dark Chrome	28 450 625-19
	Light Gold	28 450 625-26
	Light Gold gebürstet	28 450 625-27
	Messing gebürstet (23kt Gold)	28 450 625-28
	Schwarz matt	28 450 625-33
	Dark Brass gebürstet	28 450 625-39
	Bronze gebürstet	28 450 625-42
	aluminium (45)	28 450 625-45
	Champagne gebürstet (22kt Gold)	28 450 625-46
	Champagne (22kt Gold)	28 450 625-47
	Chrom gebürstet	28 450 625-93

Empfohlenes Zubehör




- UP-Wandwinkel -

35 085 970 90
- Min. Einbautiefe 90 mm
  - Max. Einbautiefe 163 mm



Durchflussdiagramm



Codes & Standards

ASME A112.18.1	cUPC	EN 1717	Scottish Water Byelaws
UK Water Supply Regulations	XP P 41-280		




Wandanschlussbogen - Dark Platinum gebürstet

SERIENSPEZIFISC

28 450 625    Produktversion bis 06.07.2018

Zertifikate und Nachhaltigkeit

Belgaqua\_21-381-2    ACS\_20 ACC LY    IAPMO\_4976    WRAS\_240702



Ersatzteilstückliste

Nr.	Artikelnummer	Benennung	Verbaumenge	Lieferzeit
5	09 11 03 036-99	Anschluss	1,00	20
2	09 27 22 503-99	Rosette	1,00	20
3	09 16 01 014 90	Ring	1,00	2
1	90 14 10 026 00 90	Dichtung	1,00	2
6	90 21 02 069 00-99	Haube	1,00	20
4	90 23 01 141 00 90	Rueckflussverhinderer	2,00	2