

36 060 670 Produktversion ab 01.06.2024

- Abdeckplatte 80 x 80 mm



	Champagne (22kt Gold)	36 060 670-47
	Chrom	36 060 670-00
	Platin gebürstet	36 060 670-06
	Platin	36 060 670-08
	Dark Chrome	36 060 670-19
	Light Gold gebürstet	36 060 670-27
	Messing gebürstet (23kt Gold)	36 060 670-28
	Schwarz matt	36 060 670-33
	Dark Brass gebürstet	36 060 670-39
	Champagne gebürstet (22kt Gold)	36 060 670-46
	Chrom gebürstet	36 060 670-93
	Dark Platin gebürstet	36 060 670-99


### Benötigtes Zubehör




- UP-Wand-Einhandbatterie -** 35 860 970 90
- Min. Einbautiefe 80 mm
  - Max. Einbautiefe 95 mm

36 060 670 Produktversion ab 01.06.2024

mm [inches]



### Durchflussdiagramm



### Codes & Standards

DIN 4109

ISO 3822

Ü-Zeichen




## UP-Einhandbatterie mit Abdeckplatte - Champagne (22kt Gold)

SERIENSPEZIFISC

36 060 670 Produktversion ab 01.06.2024

Zertifikate und Nachhaltigkeit

LGA\_29



## Ersatzteilstückliste

Nr.	Artikelnummer	Benennung	Verbaumenge	Lieferzeit
8	09 20 67 004-47	Griff	1,00	30
6	90 31 20 087 00-47	Stopfen	1,00	30
1	90 15 05 064 01 90	Kartusche	1,00	2
4	09 27 78 048-47	Rosette	1,00	30
2	09 24 04 105 90	Mutter	1,00	2
5	09 11 02 530-47	Haube	1,00	30
7	90 31 11 112 00 90	Stift	1,00	2
9	90 30 09 064 00 90	Schlüssel	1,00	2
3	90 14 10 049 00 90	Dichtung	1,00	2