

36 210 782 Produktversion ab 01.04.2022

- Drehumstellung
- Rosette 60 x 60 mm



	Champagne (22kt Gold)	36 210 782-47
	Chrom	36 210 782-00
	Platin gebürstet	36 210 782-06
	Platin	36 210 782-08
	Dark Chrome	36 210 782-19
	Messing gebürstet (23kt Gold)	36 210 782-28
	Champagne gebürstet (22kt Gold)	36 210 782-46
	Dark Platinum gebürstet	36 210 782-99


#### Benötigtes Zubehör




- UP-Dreiwege-Umstellung -** 35 203 970 90
- Min. Einbautiefe 115 mm
  - Max. Einbautiefe 160 mm

36 210 782 Produktversion ab 01.04.2022

mm [inches]



### Durchflussdiagramm



### Codes & Standards

DIN 4109

ISO 3822

Scottish Water  
Byelaws

UK Water Supply  
Regulations

### Ü-Zeichen



## MEM UP-Dreiwege-Umstellung - Champagne (22kt Gold)

---

MEM


36 210 782 Produktversion ab 01.04.2022

### Zertifikate und Nachhaltigkeit

---

LGA\_38

WRAS\_2307



### Ersatzteilstückliste

Nr.	Artikelnummer	Benennung	Verbaumenge	Lieferzeit
2	90 21 02 181 00 90	Scheibe	1,00	2
1	90 90 03 303 10 90	Umstellung	1,00	2
3	90 20 78 002 10-47	Griff	1,00	30