













28 450 370



- Brauseabgang 1/2"
- Rosette Ø 60 mm
- Anschluss 1/2"

Eigensicher gegen Rückfließen.

	Chrom	28 450 370-00
	Chrom	28 450 370-00 0010
	Platin gebürstet	28 450 370-06
	Platin gebürstet	28 450 370-06 0010
	Platin	28 450 370-08
	Platin	28 450 370-08 0010
	Messing (23kt Gold)	28 450 370-09
	Messing (23kt Gold)	28 450 370-09 0010
	Messing gebürstet (23kt Gold)	28 450 370-28
	Messing gebürstet (23kt Gold)	28 450 370-28 0010
	Dark Platinum gebürstet	28 450 370-99
	Dark Platinum gebürstet	28 450 370-99 0010

Empfohlenes Zubehör


**UP-Wandwinkel -**

35 085 970 90




- Max. Einbautiefe 163 mm
- Min. Einbautiefe 90 mm

28 450 370




### Durchflussdiagramm



### Zertifikate

Belgaqua\_21-381-  
27\_7.

28 450 370



### Ersatzteilstückliste

Nr.	Artikelnummer	Benennung	Verbaumenge	Lieferzeit
1	09 27 37 003-00	Rosette	1	10
2	90 14 10 026 00 90	Dichtung	1	2
3	09 11 03 021-00	Anschluss	1	10
4	90 23 01 040 00 90	Rueckflussverhinderer	1	2