

28 450 980



- Brauseabgang 3/8"
 - Rosette 60 x 60 mm
 - Anschluss 1/2"

Eigensicher gegen Rückfließen.

	Dark Chrome	28 450 980-19
	Chrom	28 450 980-00
	Platin gebürstet	28 450 980-06
	Platin	28 450 980-08
	Messing (23kt Gold)	28 450 980-09
	Light Gold	28 450 980-26
	Light Gold gebürstet	28 450 980-27
	Messing gebürstet (23kt Gold)	28 450 980-28
	Schwarz matt	28 450 980-33
	Bronze gebürstet	28 450 980-42
	Champagne gebürstet (22kt Gold)	28 450 980-46
	Champagne (22kt Gold)	28 450 980-47
	Chrom gebürstet	28 450 980-93
	Dark Platinum gebürstet	28 450 980-99

Empfohlenes Zubehör

- UP-Wandwinkel -

- Min. Einbautiefe 90 mm
 - Max. Einbautiefe 163 mm

35 085 970 90



28 450 980

mm [inches]



Durchflussdiagramm



Codes & Standards

ASME A112.18.1

cUPC

EN 1717

Scottish Water
Byelaws

UK Water Supply
Regulations



Wandanschlussbogen - Dark Chrome

SERIENSPEZIFISC

28 450 980

Zertifikate und Nachhaltigkeit

Belgaqua_22_280_2 WRAS_2310 IAPMO_4976

28 450 980

