


UP-Wandbatterie variable Positionierung -

35 712 970 90




- DR-Messing, bleifrei
- Anschluss 1/2"
- 3x Verschlussstopfen 1/2"
- 3x Rohbau-Schutzhauben

UP-Wandbatterie variable Positionierung -

35 712 970 90


mm [inches]



| | min | max |
|-------------|-------------|--------------|
| Madison | 55 [2 1/8"] | 115 [4 1/2"] |
| Square | 55 [2 1/8"] | 110 [4 3/8"] |
| Circle | 55 [2 1/8"] | 130 [5 1/8"] |
| Vaia | 60 [2 3/8"] | 132 [5 1/4"] |
| Domicil | 60 [2 1/2"] | 100 [3 7/8"] |
| Deque | 70 [2 3/4"] | 135 [5 3/8"] |
| Gentle | 70 [2 3/4"] | 135 [5 3/8"] |
| LaHeur | 70 [2 3/4"] | 135 [5 3/8"] |
| Selv | 70 [2 3/4"] | 135 [5 3/8"] |
| Supernova | 70 [2 3/4"] | 135 [5 3/8"] |
| Symetrics | 70 [2 3/4"] | 135 [5 3/8"] |
| Tara | 70 [2 3/4"] | 135 [5 3/8"] |
| CL_2 | 85 [3 3/8"] | 108 [4 3/8"] |
| MEM | 93 [3 5/8"] | 138 [5 3/8"] |
| CL_1 | 93 [3 5/8"] | 138 [5 3/8"] |
| La Heur Cl. | 102 [4"] | 144 [5 5/8"] |

UP-Wandbatterie variable Positionierung -

35 712 970 90



Ersatzteilstückliste

| Nr. | Artikelnummer | Benennung | Verbaumenge | Lieferzeit |
|-----|--------------------|-----------|-------------|------------|
| 1 | 04 31 20 037 00 90 | Stopfen | 1 | 2 |
| 2 | 09 21 02 102 90 | Kappe | 3 | 2 |
| 3 | 04 31 20 006 00 90 | Stopfen | 2 | 2 |